


ECIAL REPORT 102

C3 A33

NO.102

Illamia Division of Mines and Geology

15 9th Street, Sacramento 95814, 1972



## INDEX TO GEOLOGIC MAPS OF CALIFORNIA, 1965-1968

BY EDMUND W. KIESSLING Geologist, California Division of Mines and Geology, Los Angeles, California

LIBRARY
UNIVERSITY OF CALIFORNIA

SPEC REPORT 102

California Division of Mines and Geology 1416 9th Street Peramento 95814

UNIVERSITY OF CALIFORNIA

FEB 21 1978

GOV'T. DOCS. - LIBRARY

STATE OF CALIFORNIA
Ronald Reagan, Governor
THE RESOURCES AGENCY
Norman B. Livermore, Jr., Secretary
DEPARTMENT OF CONSERVATIO
James G. Stearns, Director

CALIFORNIA DIVISION OF MINES AND GEOLOGY Wesley G. Bruer, State Geologist SPECIAL REPORT 102

#### CONTENTS

Po	age
Introduction	
Bakersfield Sheet I	7
Bakersfield Sheet II	9
Chico Sheet	
Death Valley Sheet	
Fresno Sheet	
Kingman Sheet	
Long Beach Sheet	
Los Angeles Sheet I	
Los Angeles Sheet II	
Los Angeles Sheet III	
Mariposa Sheet I	
Mariposa Sheet II	
Needles Sheet	
Redding Sheet	
Sacramento Sheet	
Salton Sea Sheet	
San Bernardino Sheet I	
San Bernardino Sheet II	
San Diego-El Centro Sheet	
San Francisco Sheet I	
San Francisco Sheet II	
San Jose Sheet I	
San Jose Sheet II	
San Luis Obispo Sheet I	
San Luis Obispo Sheet II	
Santa Ana Sheet	
Santa Cruz Sheet I	
Santa Cruz Sheet II	
Santa Maria Sheet	
Santa Rosa Sheet	
Susanville (Westwood) Sheet	
Trona Sheet	
Ukiah Sheet	
Walker Lake Sheet	
Weed	
Westwood (see Susanville)	
Index to authors	
Index to dutnors	/0

#### Letter symbols used in this index refer to the separate index map sheets:

В **Bakersfield** С Chica DV Death Valley Fresna Kingman LA Las Angeles LB Lang Beach Maripasa M Needles Ν Redding Sacramenta Sac SA Santa Ana San Bernardina SB Santa Cruz  $\mathsf{SC}$ SD San Diego-El Centra San Francisca SF SJ San Jase SLO San Luis-Obispa Santa Maria SM Santa Rasa SS Saltan Sea Susanville Sυ Т Trana Ukiah Walker Lake

Weed

Weed

#### INDEX TO GEOLOGIC MAPS OF CALIFORNIA, 1965-1968

BY EDMUND W. KIESSLING

#### INTRODUCTION

*Purpose.* This index is the third supplement to Special Report 52, Index to Geologic Maps of California to December 31, 1956, by R. G. Strand, J. B. Koenig, and C. W. Jennings, published in 1958. The first supplement was Special Report 52-A, Index to Geologic Maps of California, 1957-1960, by J. B. Koenig, published in 1962, and the second supplement was Special Report 52-B, Index to Geologic Maps of California, 1961-1964, by J. B. Koenig and E. W. Kiessling, published in 1969.

While the system of numbering all reports in this series 52 was convenient, it presented some problems n library indexing and in binding consecutively numpered special reports of the Division. To avoid these

problems, this report is numbered 102.

The publication of the map index series is in response to public need for handy, up-to-date indexes to geologic maps of areas in California. These map indexes are also an essential source of information for

geologists working out of the Division's Los Angeles, Sacramento, and San Francisco District Offices.

Acknowledgements. Grateful acknowledgement s made to A. L. Kobal, Jr., D. J. Michelsen, and P. Caldwell, part-time student workers under the federal-state Work Study Program, for their extensive

nelp in preparing parts of this index.

Scope. The aim of this index is to list all surface geologic maps at a scale larger than 1:1 million pubished in reports which are reasonably accessible hrough libraries. About 300 maps are indexed herein. Excluded from this index are maps in graduate stu-

lent theses on file in university and college libraries see Special Report 74, Index to Graduate Theses on California Geology, published by this Division). Suburface maps of mines, structure contours and isopachs, aquifer, soil maps and geophysical maps aeromagnetic, Bouguer anomaly, seismic epicenter)

re also excluded.

Open file reports of the California Division of Mines and Geology and the U.S. Geological Survey nd field trip guidebooks published by various geologcal societies which contain maps are included in this ndex. Open file reports may be consulted at those ffices listed with the reference for each open file map. Many open file reports become published subse-uently, are usually removed from the open files, and vill appear in a later edition of this index as a pubished report.) Following is a list of the offices, their bbreviations, and addresses:

DMG Colifornio Division of Mines and Geology Ferry Building Son Froncisco, Colifornio 94111 (SF)

107 South Broadway, Room 1065 Los Angeles, Colifornio 90012 (LA)

1416 Ninth Street, Room 118 Socromento, Colifornio 95814 (Soc)

CDWR Colifornio Deportment of Woter Resources 1416 Ninth Street Socromento, Colifornio 95814

USGS United States Geological Survey
General Services Administration Building Room 1033 18th and F Streets, N.W. Woshington, D. C. 20242 (DC)

> 345 Middlefield Rood Menlo Pork, Colifornio 94025 (MP)

555 Bottery Street, Room 504 Son Froncisco, Colifornio 94111 (SF)

300 North Los Angeles Street Room 7638 Los Angeles, Colifornio 90012 (LA)

Building 25, Federal Center Room 1012 Denver, Colorodo 80225 (Den)


2800 Cottoge Woy Socromento, Colifornio 95821 (Soc)

SD City Engineer City of Son Diego City Administrative Building Community Concourse Son Diego, Colifornia 92101 (SD)

Location System. Far indexing purposes the state has been divided into 27 rectangular areas carrespanding ta the 27 sheets of the Gealagic Map of California (see outline map inside front cover for sheet names). Maps cavering large areas may appear an twa ar mare index sheets. Maps covering areas smaller than about ane square mile are shawn by "X's." Far same areas, such as Las Angeles and San Francisca, with a great cancentration of maps, two or more index sheets have been used far clarity.


An authar index is appended far all authars af maps listed herein. Guidebaaks, praceedings, and related unique reparts prepared far special field trips, cangresses, canferences, and sympasia are cited under the name af the issuing saciety ar the editar.

Map Numbering System. The numbering system used herein is the same as that used in the previous indexes in this series. Each map has a cade number campased of two parts: the first two digits are a contraction of the year in which the map was *originally* published. (Maps published same years earlier, but republished in a mare recent repart, have index numbers that reflect the earlier date.) The secand set af digits identifies the map far that particular year and is arbitrarily assigned in the order in which the map was indexed; terminal letters are added to distinguish among several maps in a single report.




67-49 Dibblee, T. W., Jr., 1967, Areal gealogy af the western Majave Desert California: U. S. Geal. Survey, Praf. Paper 522, 153 p., (a) pl. 1, 1:125,000, (i) fig. 13, 1:62,500, (gg) fig. 42, 1:47,500, (uu) fig. 58, 1:62,500, (ww) fig. 59, 1:62,500, (ww) fig. 61, 1:62,500, (xx) fig. 62, 1:68,000, (yy) fig. 63, 1:62,500.

Dibblee, T. W., Jr., 1966, Gealagy af Narthern Califarnia, "Evidence far cumulative affset an the San Andreas fault in central and narthern Califarnia": Califarnia Div. Mines and Geal., Bull. 190, p. 375–384, (c) fig. 3—1:250,000, (e) fig. 5—1:1,000,000,	(1) tig. 6—1:1,000,000. Giessner, F. W., and Westphal, J. A., 1966, Graund-water inventory far 1965, Edwards Air Farce Base,	California: U.S. Geal. Survey, Open File Rept., 24 p., fig. 3, 1:62,500. On file: USGS (DC, LA, SF, MP). Dickinsan, W. R., 1966, Structural relationships of San Andreas fault system, Chalame Valley and Cas-	tle Mauntain Range, Califarnia: Geal. Sac. America Bull., v. 77, na. 7, p. 707–726, (a) pl. 1—1:250,000.  Dale, R. H., French, J. J., and Gardan, G. V., 1966, Graund-water gealagy and hydralagy of the Kern River alluvial-fan area, Califarnia: U.S. Geal. Survey in caop. with Califarnia Dept. Water Resaurces, Open File Rept., 92 p., figs. 7a and b, 1:125,000 (sufficial depasits mastly). On file: USGS (MP);
66-25	66-34	66-52	66-61
Califarnia Dept. Water Resaurces, 1968, Geadimeter fault mavement investigations in Califarnia. Bull. 116-6, (e) fig. 17, (f) fig. 22, (g) fig. 25. (Faults anly, same data as an map in Bull. 116-2, but an nan-cantaured base).	Smith, A. R., 1965, Bakersfield sheet: Califarnia Div. Mines and Geal., Geal. Atlas af Califarnia, Map— 1:250,000.	Vedder, J. G., and Repenning, C. A., 1965, Gealogic map of the sautheastern Caliente Range, San Luis Obispa Caunty, Califarnia: U. S. Geal. Survey, Geal. Quad. Map OM-217, Map—1:24,000.	Am. Assac. Petraleum Gealagists (Pacific Section) and Pacific Sections of Sac. Explaration Geaphysicists, Sac. Ecan. Paleantalogists and Mineralagists, 1965, Gealagy of sautheastern San Jaaquin Valley, Califarnia, Kern River ta Grapevine Canyan, Guideboak, field rip—April 3, 1965, 40 p., map in packet — 1:48,000 (12 maps, p. 26-40, cavering parts of same area as large map and to same scale).
64-45	65-1	65-31	65-46



Clifton, H. E., 1968, Possible influence of the Son Andreos foult on the middle ond probable lote Mio- cene sedimentation, southeostern Coliente Range: Stanford University Publications in Geol. Sciences, v. XI, Proceedings of conference on geologic problems of Son Aandreos foult system, p. 183–190, fig. 1, 1:100,000.	Vedder, J. G., and Brown, R. D., Jr., 1968, Structural and stroligrophic relations along the Nocimiento foult in the southern Sorto Lucia Range and Son fould Mountains, Colifornia: Stonford University Publications in Geal. Sciences v. XI, Proceedinss of		Croft, M. G., 1968, Geology ond rodiocorbon oges of lote Pleistocene locustrine cloy deposits, southern port of San Jooquin Volley, Colifornio: U. S. Geol. Survey, Prof. Poper 600-B, p. 151–156, fig. 1, 1:662,-500.	Dibblee, T. W., Jr., 1968, Regional geologic mop of Son Andreos foult from Cholome oreo to Cuyomo- Moricopo oreo, Son Luis Obispo, Kern, ond Kings Counties, Colifornio: U. S. Geol. Survey, Open File mop, 1:125,000. On file: USGS (MP, SF); CDMG (LA, SF).	Vedder, J. G., and Wolloce, R. E., 1968, Mop showing recently active breaks along the Son Andreas and reloted foults between Cholome Volley and Tejon Poss, Colifornio: U.S. Geol. Survey, Open File mop, 1:24,000 (2 sheets). On file: USGS (MP, DC, Den, SF, LA); CDMG (LA, SF).
68-27	68-30		68-37	68-57	09-89
<ul> <li>67-57 Clifton, H. E., 1967, Poleogeogrophic significance of two middle Miocene bosolt flows, southeostern Coliente Range, Colifornio: U. S. Geol. Survey, Prof. Poper 575-B, p. 32–39, fig. 1, 1:100,000.</li> <li>67-62 Bloyd, R. M., Jr., 1967, Woter resources of the Anteleope Volley—East Kern woter ogency areo, Colifornio: U. S. Geol. Survey, Open File Rept., 73 p., fig.</li> </ul>		67-63 Tyley, S. J., 1967, Ground-woter inventory for 1966, Edwords Air Force Bose, Colifornio: U. S. Geol. Survey, Open File Rept., 10 p., fig. 2, 1:62,500. On file: USGS (DC, LA, MP, SF).	68-17 Am. Assoc. Petroleum Geologists (Pocific Section) ond Pocific Sections Soc. Explorotion Geophysicists, Soc. Econ. Poleontologists and Minerologists, 1968, Geology ond oilfields—west side southern Son Jooguin Volley, 1968 Guidebook for 43rd onnuol meet-	ing of Pocific Sections of A.P.G., S.E.G., and S.E.P.M., Morch 28–30, Bokersfield, Colifornio, 144, p., (o) mop in pocket—1:125,000, (b) mop, p. 68—1:72—000, (c) mop, p. 73—1:59,000, (d) mop, p. 110—1:24,000, (e) mop, p. 115—1:48,000, (f) mop, p. 117—1:48,000, (h) mop, p. 117—1:48,000, (h) mop, p. 117—1:48,000, (h) mop, p. 120—1:48,000, (h) mop, p. 120—1	000, (j) mop, p. 126—1:24,000, (k) mop, p. 127—1:48,000, (m) mop, p. 128—1:24,000, (n) mop, p. 129—1:48,000.



67-58 Dadge, F. C. W., and Fillo, P. V., 1967, Mineral	resources of the Desalation Primitive Area of the	Sierra Nevada, Califarnia: U.S. Geal. Survey, Bull.	1261-A, 27 p., pl. l, 1:62,500.
67-58	-	-,	-

Burnett, J. L., 1967, Preliminory gealogic map of the Lake Tahae basin, southern half: California Div. Mines and Geal., Open File map, 1:62,500. On file: CDMG (SF, LA, Sac). 17-79

International Association for Quaternary Research (INQUA), 1965, Guidebaak for field conference I, northern Great Basin and California: VIIth Cangress,

65-44

Aug.-Sept. 1965, (a) fig. 6-5, 1:226,800, (b) fig

7-1, 1:126,000.

gle, Butte Caunty, Califarnia: Califarnia Div. Mines and Geal., Bull. 184, 86 p., pl. 1, 1:62,500.

Creely, R. S., 1965, Gealagy of the Oraville quadran-

65-2

Gealagical Saciety of Sacramenta, 1965, La Parte ta

65-48

the summit of the Grizzly Mauntains, Plumas Caunty,

California: Field Trip Guide Baak, June 19–20, 1965,

22 p., pl. 1, 1:62,500.

66.20

Bateman, P. C., and Wahrhaftig, Clyde, 1966, Gealagy af narthern Califarnia, "Geolagy af the Sierra Nevada": Califarnia Div. af Mines and Geal., Bull.

190, p. 107-172, fig. 7, 1:167,150.

Motthews, R. A., 1967, Preliminory gealagic map of the Lake Tohae basin—narthern holf. Califarnia Div. Mines and Geal., Open File map, 1:62,500. On file:

Petersan, D. W., Yeend, W. E., Oliver, H. W., and Mattick, R. E., 1968, Tertiary gald-bearing gravel in narthern Nevada Caunty, California: U. S. Geal. Survey, Circ. 566, 22 p., (o) fig. 2, 1:143,750, (b) fig. 3, 1:250,000, (c) fig. 5, 1:36,100. 68-13

Gealagical Saciety of Sacramenta, 1968, Studies in the Lake Tahae area, Califarnia and Nevada: Annual Merwin, R. W., 1968, Gald resources in the Tertiary gravels of California: U. S. Bureau of Mines, Technicol Pragress Repart No. 3, 14 p., fig. 2, 1:500,000. Field Trip Guidebaak far 1968, pl. 1, 1:125,000. 68-15 68.14


Scott, K. M., and Gravelee, G. C., Jr., 1968, Flaad surge an the Rubicon River, California—hydralagy, hydraulics, and baulder transpart: U. S. Geal. Survey, Praf. Paper 422-M, 40 p., fig. 20, 1:1,800. 68-22

(Tertiary gravels anly, lacatian appraximate).

# BIBLIOGRAPHY

CDMG (SF, LA). 67-72

farnio Div. Mines and Geol., Open File Rept., 57 p., (o) fig. 3, 1:625,000 (Laveioy Farmatian), (b) fig. 6, 1:625,000, (c) fig. 7, 1:356,250, (d) fig. 13, 1:62,500 (terrace deposits), (e) fig. 14, 1:84,000 (maroines). On file: CDMG (SF, LA). Durrell, Cardell, 1967, Gealagy af the Feather River cauntry and adjacent regians (California): Cali-67-78



Hunt, C. B., and Mabey, D. R., 1966, Stratigraphy and structure, Death Valley, California. U. S. Geol. Survey, Prof. Paper 494-A, 162 p., fig. 38, 1:47,500.

54-34

Morton, P. K., 1965, Geology of the Queen of Sheba

65-10

Mines and Geol., Spec. Rept. 88, 18 p., pl. 1, 1:1,-

lead mine, Death Valley, California: California Div.

Bateman, P. C., 1965, Geology and tungsten mineralization of the Bishap District, California: U. S. Geal. Survey, Prof. Paper 470, 208 p., (g) fig. 7, 1:743,-

91-59

500 (pre-Cenozoic).

65-22

Denny, C. S., and Drewes, H., 1965, Geolagy of the Ash Meadows quadrangle, Nevada-California: U. S.

Geal. Survey, Bull. 1181-L, 56 p., pl. 1, 1:62,500.

Kistler, R. W., Bateman, P. C., and Brannock, W. W., 1965, Isotopic ages of minerals fram granitic racks of

65-34

the central Sierra Nevada and Inyo Mountains, California: Geal. Sac. America, Bull., v. 76, no. 2, p.

155-164, pl. 1, 1:441,000.

65-72

- 66-10 Hunt, C. B., and Mabey, D. R., 1966, Stratigraphy and structure, Death Valley, California: U. S. Geal. Survey, Prof. Paper 494-A, 162 p., (a) pl. 1, 1:96, 000, (b) pl. 2, 1:63,360 (shows 6 alluvial fans along east foot af Panamint Range), (c) fig. 40, 1:250,000, (d) fig. 48, 1:250,000 (shows mudflows only), (e) fig. 74, 1:336,000 (shows alluvial fan and salt pan boundaries only), (f) fig. 91, 1:167,150, (g) fig. 94, 1:112,000, (h) fig. 96, 1:77,500, (i) fig. 110,
- Stern, T. W., Newell, M. F., and Hunt, C. B., 1966, Gealogical Survey Research 1966, "Uranium-lead and potassium-argan ages of parts of the Amargasa thrust camplex, Death Valley, California": U. S. Geal. Survey, Praf. Paper 550-B, p. 142–147, (a) fig. 2, 1:72,000 (generalized from central partion of 66-10a).
- 66-11 Hunt, C. B., and Mabey, D. R., 1966, Stratigraphy and structure, Death Volley, California: U. S. Geol. Survey, Prof. Paper 494-A, 162 p., fig. 71, 1:52,500 (salt pan generalized).
- Hunt, C. B., Robinsan, T. W., Bowles, W. A., and Washburn, A. L., 1966, Hydrologic basin, Death Val. ley, California: U. S. Geol. Survey, Prof. Paper 494-B, 138 p., pl. 1, 1:31,680.


Denny, C. S., 1965, Alluvial fans in the Death Valley region, California and Nevada: U. S. Geol. Survey, Prof. Paper 466, 62 p., (a) pl. 1, 1:24,800 (approx.), (b) inset pl. 1, 1:119,700, (c) pl. 2, 1:19,000, (d) pl. 3, 1:94,500, (e) Pl. 4, 1:100,800, (f) pl. 5, 1:100,800.

67-14 Denny, C. S., 1967, Fans and pediments: Am. Jour. Sci., v. 265, no. 2, p. 81–105, fig. 2, 1:91,000. (Quartzite, fan and pediment material shown.)

- 67-15 Ross, D. C., 1967, Geolagic map of the Waucoba Wash quadrangle, Inyo County, California: U. S. Geol. Survey, Geol. Quad. Map GQ-612, Map—1:62.500.
- 67-16 Ross, D. C., 1967, Generalized geologic map of the Inyo Mountains Regian, California: U. S. Geol. Survey, Misc. Geol. Inv. Map I-506, Map—1:125,000.
- 67-27 Malmberg, G. T., 1967, Hydrology of the valley-fill and carbonate-rack reservairs, Pahrump Volley, Nevada-California: U. S. Geol. Survey, Water-Supply Paper 1832, 47 p., pl. 1, 1:125,000.
- 68-43 Hooke, R. L., 1968, Steady-state relationships on arid region alluvial fans in closed basins: Amer. Jour. Sci., v. 266, p. 604-629, fig. 8.
  68-46 Burchfiel, B. C., 1968, Geologic map of Dry Mountain (15') quad., Inyo County, California California Div. Mines and Geol., Open File map, 1:62,500. On
- 68-55 Smith, G. I., Troxel, B. W., Gray, C. H., Jr., and von Huene, Roland, 1968, Geologic reconnaissance of the Slate Range, San Bernardino and Inyo Counties, California: California Div. Mines and Geol., Spec. Rept. 96, 33 p., (a) pl. 1, 1:62,500.

file: CDMG (LA, SF, Sac).

68-62 Wright, L. A., 1968, Talc deposits of the southern Death Valley- Kingston Range region, California Div. Mines and Geol., Spec. Rept. 95, 79 p., (e) pl. 2a, 1:10,670, (k) fig. 1, 1:500,000 (approx.).



the southern Sierra Nevada, California: Geal. Sac. America Bull., v. 76, na. 10, p. 1165–1190, fig. 4, Wahrhaftig, Clyde, 1965, Stepped tapagraphy af 65-38

agy of narthern California, "Gealagy of the Sierra

Nevada'': Califarnia Div. Mines and Geal., Bull. 190,

p. 107-172, fig. 1, 1:1,000,000

Bateman, P. C., and Wahrhaftig, Clyde, 1966, Geal-

63-23

(INQUA), 1965, Guidebaak far field canference I, International Association for Quaternary Research narthern Great Basin and Califarnia: VIIth Cangress, Aug.-Sept. 1965, (p) fig. 11-96, 1:36,500. 65-44

116-6 (e) fig. 17. (Faults anly, same data as an map in Bull. 116-2, but an nan-contaured base.)

California Dept. Water Resaurces, 1968, Geadimeter fault mavement investigations in California: Bull.

64-45

Bateman, P. C., 1965, Gealagy and tungsten mineralization of the Bishap District, Califarnia: U. S. Geal.

65-16

Survey, Praf. Paper 470, 208 p., (g) fig. 7, 1:743,-

500 (pre-Cenazaic)

- California Dept. Water Resaurces, 1965, Fresna-Cla-Bull. 143-3, pl. 4, 1:126,000. 65-68
- vis metrapalitan area water quality investigation: Rass, D. C., 1965, Gealagy of the Independence 65-71
  - quadrangle, Inya Caunty, California: U.S. Geal. Survey, Bull. 1181-0, 64 p., pl. 1, 1:62,500.

dera caunties, Califarnia: Annual Meeting Field Trip Guidebaak, April 14–17, 1965, (a) fig. 1, 1:264,-600, (b) fig. 2, 1:44,100.

Geal. Sac. America, Cardilleran Sectian, 1965, Gealagy of the Sierran faathills, eastern Fresna and Ma-

65-21

(INQUA), 1965, Guidebaak far field canference I,

Kistler, R. W., Bateman, P. C., and Brannack, W. W., 1965, Isatapic ages af minerals from granitic racks of the central Sierra Nevada and Inya Mauntains, Califarnia: Geal. Sac. America, Bull., v. 76, na. 2, p.

65-34

Aug.-Sept. 1965, (b) fig. 11-9a, 1:52,900.

Putman, G. W., and Alfars, J. T., 1965, Depth af intrusian and age af the Racky Hill stack, Tulare Caunty, Califarnia: Geal. Sac. America Bull., v. 76,

65-35

155-164, pl. 1, 1:441,000.

Putman, G. W., and Alfars, J. T., 1967, Frequency distribution of minar metals in the Racky Hill stack,

na. 3, p. 357-364, fig. 1, 1:27,400.


Tulare Caunty, California: Geachimica et Casmachimica Acta, v. 31, p. 431-450, fig. 1, 1:26,250. Putman, G. W., and Alfars, J. T., 1968, Granitic racks and ore depasits—The Racky Hill study: California Div. Mines and Geal., Mineral Infarmatian Service, v.

21, na. 4, p. 55-60, p. 57, 1:38,750.


International Association for Quaternary Research narthern Great Basin and California: VIIth Cangress,

- farmatians in the Independence quadrangle, Inya Rass, D. C., 1966, Stratigraphy of same Paleazaic County, California: U. S. Geal. Survey, Prof. Paper 396, pl. 1, 1:31,680. 90-18
- farnia, "Evidence far cumulative affset an the San Dibblee, T. W., Jr., 1966, Gealagy of narthern Cali-Andreas foult in central and narthern Califarnia": California Div. Mines and Geal., Bull. 190, p. 375-384, (e) fig. 5, 1:1,000,000. 66-25
- Matthews, R. A., and Burnett, J. L., 1966, Fresna Sheet: California Div. Mines and Geal., Geal. Atlas of Califarnia, Map—1:250,000. 66-29
- Califarnia Dept. Water Resaurces, 1966, Madera area investigations: Bull. 135, pl. 9, 1:1,250,000 (campiled fram several saurces) 66-44


- Rass, D. C., 1967, Generalized gealagic map of the vey, Misc. Geal. Inv. Map I-506, Map-1:125,000. Inya Mauntains regian, Califarnia: U. S. Geal. Sur-91-79
- and are depasits—the Racky Hill study: California Putman, G. W., and Alfars, J. T., 1968, Granitic racks Div. Mines and Geal., Mineral Infarmatian Service, v. 21, na. 4, p. 55-60, 1:250,000. 68-2
- Meade, R. H., 1968, Petralogy of sediments underlying areas af land subsidence in central California: Ú. S. Geal. Survey, Praf. Paper 497-C, 83 p., fig. 14, 1:633,600. 68-25
- Dadge, F. C. W., and Maare, J. G., 1968, Occurrence and campasition of biatites fram the Cartridge Pass plutan of the Sierra Nevada bathalith, Califarnia: U. S. Geal. Survey, Praf. Paper 600-8, p. 6–10, fig. 1, 68-35
- Haake, R. L., 1968, Steady-state relationships on arid regian alluvial fans in clased basins: Amer. Jaur. Sci., v. 266, p. 604-629, fig. 8. 68-43
- Dibblee, T. W., Jr., 1968, Regianal geologic map of Maricapa area, San Luis Obispa, Kern, and Kings Caunties, Califarnia: U. S. Geal. Survey, Open File map, 1:125,000. On file: USGS (MP, SF): CDMG Son Andreas fault fram Chalame area ta Cuyama-68-57



- 66-27 Barca, R. A., 1966, Gealagy of the narthern part of Old Dad Mauntain quadrangle, San Bernardina Caunty, Califarnia: Califarnia Div. Mines and Geal, Map Sheet 7, map 1:62,500 (accampanied by 9-page text).
- 67-12 Califarnia Dept. Water Resaurces, 1967, Water wells and springs in Sada, Silver, and Cranise Valleys, San Bernardina Caunty, Califarnia: Bull. 91-13, fig. 2, 1:62,500.
- 67-36 Clary, M. R., 1967, Gealagy of the eastern part af the Clark Mauntain Range, San Bernardina Caunty, California: California Div. Mines and Geal. Map Sheet 6. Map—1:24,000.
- 68-34 Elevatarski, E. A., 1968, Califarnia fluarspar: California Div. Mines and Geal. Mineral Information Service, v. 21, na. 9 (Sept.), p. 127-130. Map, p. 129-1:32,000.
- 68-62 Wright, L. A., 1968, Talc depasits af the sauthern Death Volley-Kingstan Range regian, Califarnia: Califarnia Div. Mines and Geal., Spec. Rept. 95, 79 p., (a) pl. 1a, 1:16,000, (c) pl. 1c, 1:14,750, (k) fig. 1, 1:500,000 (apprax.).



67-19 Canrey, B. L., 1967, Early Pliacene sedimentary histary af the Las Angeles basin, Califarnia: California Div. Mines and Geal., Spec. Rept. 93, 63 p., fig. 3, 1:250,000.	67-55 Yerkes, R. F., Garsline, D. S., and Rusnok, G. A., 1967, Origin af Redanda Submarine Canyan, sauth-	ern Calitania: U. S. Geal. Survey, Prof. Paper 575-C, p. 97-105, fig. 1, 1:167,150.	68-45 Califarnia Dept. Water Resaurces, 1968, Sea-water intrusian, Bolsa Sunset area, Orange Caunty: Bull. 63-2, pl. 2, 1:24,000.	
67-19	67-55		68-45	
65-54 Califarnia Dept. Water Resaurces, 1965, Water well standards, Central, Hallywaad, Santa Manica basins, Las Angeles Caunty: Bull. 74-4, pl. 2, 1:119,700.	Califarnia Dept. Water Resaurces, 1965, Santa Ana Gap solinity barrier. Bull. 147-1 (preliminary edi- tion), pl. 4a, 1:24,000.	Califarnia State Water Quality Cantral Baard, 1965, An accongraphic and biological survey of the sauth-	ern Califarnia mainland shelf: Publication no. 27, 231 p., (b) fig. 4.3, 1:500,000, (c) fig. 4.4, 1:460,000. (Sediment types anly.)	Maare, R. F., 1966, Faundatian engineering and the engineering gealogist: Engineering Geal. of Sa. Califarnia, a special pub. of the Assac. of Eng. Gealogists, Las Angeles section, p. 327–344, map in packet, 1:250,000 (sail and bedrack distribution, 6 types).
65-54	65-69	65-76		66-59
62-56 Cleveland, G. B., 1962, Preliminary gealagic map af the Palas Verdes Hills, Las Angeles Caunty, Cali- farnia: Califarnia Div. Mines and Geal., Open File map, 1:6,000, (a) sheet 1, (b) sheet 2, (c) sheet 3,	(a) sneet o. On tile: CDMG (LA, St. Sac). 65-15 Yerkes, R. F., McCullah, T. H., Schaellhamer, J. E., and Vedder, J. G., 1965, Gealaay of the las Anaeles	basin, California—an intraduction: U. S. Geal. Survey, Praf. Paper 420-A, 57 p., (a) fig. 2, 1:504,000	(faults anly), (b) fig. 3, 1:504,000 (faults anly), (c) fig. 5, 1:529,200 (basement racks), (d) fig. 6, 1:504,000 (Upper Gretaceaus), (e) fig. 7, 1:504,000 (Poleacene and Eacene), (f) fig. 8, 1:504,000	(Lawer Miacene), (g) fig. 9, 1:504,000 (middle Miacene), (h) fig. 10, 1:504,000 (upper Miacene), (j) fig. 11, 1:504,000 (lawer Pliacene), (k) fig. 14, 1:504,000 (upper Miacene).



65-31 Vedder, J. G., ond Repenning, C. A., 1965, Geologic mop of the sautheostern Caliente Ronge, Son Luis Obispo Caunty, Colifornio: U. S. Geol. Survey, Geol. Quod. Mop Om-217, Mop, 1:24,000.

Higgs, D. V., 1954, Anorthosite and related racks of the western Son Gobriel Mountains, southern Californio: Californio Univ. Pubs. Geol. Sci. Bull., v. 30,

54-40

65-33 Yeats, R. S., 1965, Pliocene seoknoll of South Mountoin, Venturo bosin, California: Am. Assoc. Petroleum Geologists Bull., v. 49, no. 5, p. 526–546, (e) fig. 1, 1:472,500 (reverse faults only), (b) fig. 2, 1:37,800.

tory structures, Pliocene Pico Farmotion, Santa Poulo Creek, Venturo basin, Colifornia: Colifornio Div.

Mines and Geal., Spec. Rept. 89, 40 p., fig. 1, 1:72,-

000 (doto simplified).

Crowell, J. C., Hope, R. A., Kohle, J. E., Ovenshine, A. T., ond Sams, R. H., 1966, Deep-woter sedimen-

54-78

по. 3, р. 171-222, тар 1, 1:54,000.

65-45 Coost Geologicol Society, Pocific Sectian Soc. Econ. Poleontologists ond Minerologists 1965, Western Sonto Ynez Mountains, Sonto Borboro Caunty, Colifornio: Guidebook, Field Trip, Oct. 16, 1965, 47 p., Map, 1:81,850 (in pocket).

116-6, (e) fig. 17, (f) fig. 22, (g) fig. 25, (h) fig. 27. (Foults only, some dato as on mop in Bull. 116-2,

but on non-contoured base.)

Colifornio Dept. Woter Resources, 1968, Geadimeter foult movement investigotions in Colifornio: Bull.

64-45

- 65-46 Am. Assoc. Petroleum Geologists (Pocific Section) ond Pacific Sections of Soc. Explorotion Geophysicists, Sac. Econ. Poleontologists and Minerologists, 1965, Geology at southeostern Son Jooquin Volley, Colifornio, Kern River to Gropevine Canyon: Guidebook, Field Trip, April 3, 1965, 40 p., Map in pocket, 1:48,000. (12 mops, p. 26-40, cavering ports of some
- 65-47 Am. Assoc. Petroleum Geologists (Pocific Section), 1965, Plocerito—Soledod—Vosquez Racks oreo, Soledod bosin, Las Angeles County, Colifornio: Guidebook, 1965 Annuol Field Trip, 30 p., (a) mop in pocket, 1:48,000, (b) p. 4, 1:37,600 (inset), (c) p. 10, no scole given.

(c) fig. 5, 1:529,200 (bosement rocks), (d) fig. 6, 1:504,000 (Upper Cretoceous), (e) fig. 7, 1:504,000 (Upper Cretoceous), (f) fig. 8, 1:504,000 (lower Miocene), (g) fig. 9, 1:504,000 (middle Miocene), (h) fig. 10, 1:504,000 (upper Miocene), (i) fig. 10, 1:504,000 (upper Miocene), (k) fig. 11, 1:504,000 (upper Miocene), (k) fig. 14, 1:504,000 (upper Miocene), (k) fig. 15, 1:504,000 (upper Miocene), (k)

Yerkes, R. F., and Wentworth, C. M., 1964, Gealagic report on the proposed Corrol Canyon nuclear power plant site, Los Angeles County, Colifornia: mimeo. public release by U. S. Geol. Survey (ovoilable for inspection in Colifornia Div. Mines and Geol. Library,

65-19

SF), 93 p., fig. 5, 1:6,000.

bosin, Colifornia—an introduction: U.S. Geol. Survey, Prof. Poper 420-A, 57 p., (a) fig. 2, 1:504,000 (foults anly), (b) fig. 3, 1:504,000 (foults only),


Yerkes, R. F., McCulloh, T. H., Schoellhomer, J. E., and Vedder, J. G., 1965, Geology of the Los Angeles

65-15

oreo os lorge mop and to same scole)

- 65-50 Ookeshott, G. B., 1965, Son Andreos foult: Predaminont loterol or verticol displacement: Selected popers, Son Joaquin Geologicol Soc., v. 3, p. 4-18, (b) fig. 3, 1:113,000 (after 60-30), (c) fig. 4, 1:59,200 (ofter 53-10).
- 65-53 Colifornio Dept. Water Resources, 1965, Seo-woter intrusion, Oxnord ploin af Venturo County: Bull. 63-1, pl. 5, 1:47,800.

- 65-54 Colifornio Dept. Woter Resources, 1965, Water well stondords, Central, Hollywaod, Sonto Monico bosins, Los Angeles County: Bull. 74-4, pl. 2, 1:119,700.
- 65-56 Colifarnio Dept. Woter Resaurces, 1965, Water wells in the western part of the Antelope Valley area, Los Angeles and Kern Counties, Colifornio: Bull. 91-11, fig. 3, 1:62,000 (compiled fram severol sources).
- 65-61 Colifornia Dept. Woter Resources, 1965, Tehachopi crossing design studies: Bull. 164, *book 1*, (e) p. 112, 1:40,000, (b) p. 141, 1:2,400, (c) p. 142, 1:2,400, (d) p. 143, 1:2,400, (e) p. 144, 1:2,400, (f) p. 145, 1:4,800, (g) p. 146, 1:4,800, (h) p. 147, 1:2,400, (j) p. 148, 1:2,400, (k) p. 149, 1:9,600, (m) p. 150, 1:9,600
- 65-62 Colifornio Dept. Water Resources, 1965, Tehochapi crossing design studies: Bull. 164, book 4, (a) p. 158, 1:5,700, (b) p. 159, 1:19,200, (c) p. 160, 1:19,200, (d) p. 161, 1:19,200, (e) p. 162, 1:2,400, (f) pl. 19,
- 65-73 Bertholf, H. W., 1965, Timber Conyon Oil Field: Colifornio Div. Oil ond Gos, Summory of aperotians, Californio oil fields, v. 51, no. 1, p. 29–37, pl. 3, 1:20,000.
- 65-76 Colifornio Stote Woter Quality Control Board, 1965, An oceanographic and biological survey of the southern Colifornia mainland shelf: Publication no. 27, 231 p., (a) fig. 4.2, 1:405,000, (b) fig. 4.3, 1:500,000, (c) fig. 4.4, 1:460,000. (Sediment types only.)
- 65-78 Clevelond, G. B., ond Troxel, B. W., 1965, Geology reloted to the sofety of the Corrol Conyon nucleor reactor site, Molibu, Las Angeles County, Californio: Colifornio Div. Mines and Geol., Open File map, 1:2,400. On file: CDMG (LA, SF, Soc).



66-50 California Dept. Water Resources, 1966, Water wells in the eastern part of the Antelape Valley areo, Las Angeles Caunty, Colifornio: Bull. 91-12, fig. 2, 1:63,-340.

Gower, H. D., Vedder, J. G., Cliftan, H. E., and Past, E. V., 1966, Mineral resaurces af the San Rofael

8-99

primitive area, Colifarnio: U. S. Geal. Survey, Bull

230-A, 28 p., pl. 1, 1:96,000.

Dibblee, T. W., Jr., 1966, Gealagy of the centrol Santa Ynez Mauntoins, Santo Barbara Caunty, Califarnia: Califarnia Div. Mines and Geal., Bull. 186, 99

66-13

1966, Gealagical Survey Reseorch 1966, "Detachment faults in the central Santa Manico Mauntoins, Californio": U. S. Geol. Survey, Prof. Paper 550-C,

Campbell, R. H., Yerkes, R. F., and Wentwarth, C. M.,

66-15

p., (o) pl. 1, 1:31,680, (b) pl. 3, 1:62,500.

- 66-51 Dickinson, W. R., and Lawe, D. R., 1966, Stratigrophic relations of phasphate- and gypsum-bearing upper Miacene strato, Upper Sespe Creek, Ventura Caunty, Califarnio: Am. Assac. Petraleum Gealagists Bull., v. 50, na. 11, p. 2464–2481, fig. 2, 1:68,000.
- 66-58 Mortan, D. M., 1966, Preliminory gealagic map af the Mt. Wilsan quadrangle—east central partion, Los Angeles Caunty, California: Colifornia Div. Mines and Geol. in caap. with Los Angeles Caunty, Open File mop, 1:9,600. On file: CDMG (LA, SF).
- 66-59 Maare, R. F., 1966, Foundation engineering and the engineering geolagist: Engineering Geal. of Sa. Califarnio, a special pub. af the Assac. af Eng. Geologists, Los Angeles section, p. 327–344, map in packet, 1.250,000 (sail and bedrack distribution, 6 types).

farnia, "Evidence for cumulative affset on the San Andreas fault in centrol and narthern Colifornia": Californio Div. Mines and Geol., Bull. 190, p. 375– 384, (c) fig. 3, 1:250,000, (e) fig. 5, 1:1,000,000,

Dibblee, T. W., Jr., 1966, Geolagy of narthern Cali-

66-25

p. 1-11, fig. 5, 1:125,000.

60-60 Lamar, D. L., 1966, Gealagy af the Elysian Park-Reperto Hills area, Los Angeles Caunty, Colifarnio: Colifarnia Div. Mines and Geal., Open File map,

water inventary for 1965, Edwards Air Farce Base, Califarnia: U. S. Geol. Survey, Open File Rept., 24 p.,

fig. 3, 1:62,500. On file: USGS (DC, LA, SF, MP).

Giessner, F. W., and Westphol, J. A., 1966, Graund-

66-34

(f) fig. 6, 1:1,000,000.

California Dept. Woter Resaurces, 1966, Planned

66-47


utilization of ground woter basins, San Gabriel Val-

ley: Bull. 104-2, pl. 90, 1:125,000.

1:18,000. On file: CDMG (LA, SF).

- 67-1 Stouffer, P. H., 1967, Sedimentalagic evidence an Eacene correlations, Santa Ynez Mauntains, Califarnia: Am. Assac. Petraleum Geologists Bull., v. 51, no. 4, p. 607–611, fig. 1, 1:500,000.
- 67-5 California Dept. Water Resaurces, 1967, Graund water basin pratectian prajects—Oxnard Basin salinity barrier, Ventura Caunty—Progress repart: Bull. 63-1, 132 p., pl. 1, 1:72,000.
- o7-19 Canrey, B. L., 1967, Early Pliocene sedimentary history of the Las Angeles basin, California. California Div. Mines and Geal., Spec. Rept. 93, 63 p., fig. 3, 1:250,000.

  67-20 Damenica, S. N., 1967, Detoil gravity prafile acrass San Andreas fault zone: Geaphys. Jaur. General and Applied Geaphys., v. 32, na. 2, p. 297–301, fig. Na. 2, 1:250,000. [Porollel of latitude incarrectly labeled.)
- 67-35 Vedder, J. G., Gawer, H. D., Cliftan, H. E., and Durham, D. L., 1967, Recannaissance gealagic map of the central San Rafael Mauntains and vicinity, Santa Barbara Caunty, Califarnio: U. S. Geal, Survey, Misc. Geal. Inv. Map 1-487, 1;48,000.
- 67-45 Stantan, R. J., Jr., 1967, The effects af pravenance and bosin-edge tapagrophy an sedimentation in the basal Castaic Formation (upper Miacene, marine), Las Angeles Caunty, Colifornia: Colifornia Div. Mines and Geal., Spec. Rept. 92, p. 21–31, (a) fig. 2, 1:500,000, (b) map 1, 1:101,000.



- Edwords Air Force Base, Colifornio: U. S. Geol. Survey, Open File Rept., 10 p., fig. 2, 1:62,500. On file: USGS (DC, LA, MP, SF). Tyley, S. J., 1967, Ground-water inventory for 1966, 67-63
- the Sonta Borboro-Mantecita orea, Sonto Barbara Muir, K. S., 1968, Ground-water recannaissance of County, Colifornio: U. S. Geol. Survey, Woter-Supply Poper 1859-A, 28 p., pl. 1, 1:24,000. 67-64

Pibblee, T. W., Jr., 1967, Areol geology of the western Mojove Desert Colifornio: U. S. Geol. Survey, Prof. Poper 522, 153 p., (a) pl. 1, 1:125,000, (g) fig. 11, 1:62,500, (l) fig. 25, 1:62,500, (u) fig. 27, 1:50,500, (u) fig. 28, 1:50,500, (u) fig. 27, 1:50,500, (v) fig. 28, 1:50,500, (z) fig. 34, 1:42,000, (ao) fig. 35, 1:68,000, (bh) fig. 36, 1:68,000, (cc) fig. 38, 1:47,500, (ff) fig. 41, 1:52,500, (gg) fig. 42, 1:47,500, (hh) fig. 43, 1:50,500, (ddd) fig. 69, 1:56,500, (eee) fig. 72, 1:500,000,

67-49

fornio Publicotians in Geologicol Sciences, v. 68, 67 dio Formotion, Kern County, Colifornio: Univ. of Coli-DeLise, K. C., 1967, Biostratigraphy of the Son Emigp., (a) fig. 2, 1:60,000, (b) fig. 4, 1:18,000. 67-70

Dosch, M. W., 1967, Sespe oil field: Division of Oil ond Gos, Summory of Operotions, Colifornio Oil

Dosch, M. W., 1967, Sespe oil field: Division of Fields, v. 53, no. 1, p. 39-55, pl. II, 1:24,000.

67-53

Clifton, H. E., 1967, Poleogeagrophic significonce af two middle Miocene bosolt flows, southeostern Co-

67-57

liente Ronge, Colifornio: U. S. Geol. Survey, Prof.

Poper 575-B, p. 32-39, fig. 1, 1:101,000.

- Vedder, J. G., 1968, Gealagic map of Fox Mauntoin quodrongle, Sonto Barboro County, Colifarnio: U. S. Geol. Survey, Misc. Geol. Inv. Mop I-547, 1:24,000. 68-19
- Vedder, J. G., and Brawn, R. D., Jr., 1968, Structural conference on geologic problems of Son Andreos foult system, p. 242–259, (b) fig. 3, 1:336,000, (c) ond strotigrophic relotions olong the Nocimiento foult in the southern Sonto Lucio Ronge and San Publications in Geal. Sciences v. XI, Proceedings of Rofoel Mountains, Colifarnia: Stanford University fig. 4, 1:336,000. 68-30

Ooks oreo: Colifornio Div. Mines and Geol., Open

File mop 1:9,690. On file: CDMG (LA, SF).

Weber, F. H., Jr., 1967, Geology of the Thousond

62-29

telope Volley—Eost Kern woter ogency oreo, Colifornio: U. S. Geol. Survey, Open File Rept., 73 p., fig.

Bloyd, R. M., Jr., 1967, Woter resources of the An-

67-62


5, 1:125,000 (undiff. consalidated rocks and more

detoiled unconsolidated stream, ployo, ond fon deposits). On file: USGS (DC, MP, SF, LA, Gorden

Grove).

Dibblee, T. W., Jr., 1968, Displocements on the San Andreos foult system in the Son Gabriel, San Bernardino, and Son Jacinto Mountains, southern Colifarnio: Stonford University Publicotions in Geol. Sciences, v. XI, Proceedings of conference on geologic problems of Son Andreos foult system, p. 260–278, (a) fig. 1, 1:633,600, (b) fig. 2 (top), 1:356,250 68-31

- Crawell, J. C., 1968, Movement histories af foults in the Transverse Ronges and speculotions on the tectonic history af Colifornio: Stanfard University Publicotions in Geol. Sciences, v. XI, Proceedings of canference on geologic problems of Son Andreas foult system, p. 323-341, (o) fig. 1, 1:431,250, (b) fig. 2, 1:212,500. 68-32
- Mauntoins, California: Colifornia Div. Mines and Geol., Open File Mop, 1:62,500. On file: CDMG Morton, D. M., and Streitz, Robert, 1968, Preliminary recannoissance mop of major landslides, Son Gabriel (LA, SF, Soc) 68-48
- Moricapo oreo, Son Luis Obispa, Kern, ond Kings Counties, California: U. S. Geol. Survey, Open File mop, 1:125,000. On file: USGS (MP, SF); CDMG Dibblee, T. W., Jr., 1968, Regianol geologic mop of Son Andreos foult fram Cholome oreo to Cuyomo-(SF, LA) 68-57
- Poss, Colifornio: U. S. Geal. Survey, Open File mop, 1:24,000 (2 sheets). On file: USGS (MP, DC, Den, Vedder, J. G., and Wollace, R. E., 1968, Map showing recently octive breoks along the Son Andreos ond reloted foults between Cholome Valley and Tejan SF, LA); CDMG (LA, SF). 09-89
- Ross, D. C., 1968, Map showing recently octive breoks along the Son Andreos and related foults between Tejon Poss and Cojon Poss, Colifornia: U. S. Geol. Survey, Open File mop, 1:24,000. On file: USGS (SF, MP, LA); CDMG (LA, SF). 68-61



era Caunties, Californio: Annual Meeting Field Trip Guidebaak, April 14–17, 1965, (a) fig. 1, 1:264, Geal. Soc. Americo, Cardilleran Sectian, 1965, Gealogy of the Sierron faothills, eastern Fresna and Mod-600, (b) fig. 2, 1:44,100. 65-21

sive units in the Yosemite Valley area, California: California Div. Mines and Geal., Spec. Rept. 91, p. Smith, A. R., 1967, Petrogrophy of six granitic intru-

30-1

3-15, fig. 2, 1:143,750.

Peck, D. L., Wahrhaftig, Clyde, and Clark, L. D., 1966, Geolagy af Narthern California, "Field Trip

57-10

Yasemite Valley and Sierra Nevoda Bothalith": Califarnia Div. Mines and Geol., Bull. 190, p. 487–502,

ig. 4, 1:72,000.

62-8

Peck, D. L., Wahrhaftig, Clyde, and Clark, L. D., 1966, Gealagy af Northern Califarnia, "Field Trip

rasemite Valley and Sierra Nevada Bathalith": Cali-

farnia Div. Mines and Geal., Bull. 190, p. 487–502,

ig. 2, 1:84,000.

63-23

- QUA), 1965, Guidebaak far Field Canference I, narthern Great Basin and California: VIIth Cangress, Aug.-Sept. 1965, (b) fig. 11-9a, 1:52,900. International Assaciotion Quaternary Research (IN-
  - - Bateman, P. C., 1965, Geolagic map of the Blackcap Mauntoin quadrangle, Fresna Caunty, Califarnia: U. S. Geal. Survey, Geol. Quad Mop GQ-428, 1:62,-500. 65-27
- Bateman, P. C., and Maare, J. G., 1965, Gealagic map of the Maunt Goddard quodrargle, Fresno and Inya Caunties, Califarnia: U. S. Geol. Survey, Geal. Quad. Map GQ-429, 1:62,500. 65-28

Bateman, P. C., and Wahrhoftig, Clyde, 1966, Geology of Narthern Califarnia, "Gealagy of the Sierra Nevada": Califarnio Div. Mines and Geal., Bull. 190,

p. 107-172, fig. 1, 1:1,000,000.

Lustig, L. K., 1965, Clastic sedimentation in Deep Springs Valley, Califarnia: U. S. Geal. Survey, Prof.

65-5

Poper 352-F, 192 p., pl. 8, 1:125,000.

Huber, N. K., and Rinehart, C. D., 1965, The Devils Pastpile National Manument: California Div. Mines

65-14

ond Geal., Mineral Inf. Service, v. 18, na. 6, p. 109–

118, тар, р. 111, 1:100,800.

- Huber, N. K., and Rinehart, C. D., 1965, Gealagic map of the Devils Pastpile quadrangle, Sierra Nevada, Califarnia: U. S. Geol. Survey, Geol. Quad. Map GQ-437, 1:62,500. 65-29
- Janes, B. F., 1965, The hydralagy and mineralagy af Deep Springs Lake, Inyo County, Califarnia: U. S. Geal. Survey, Praf. Poper 502-A, 56 p., pl. 1, 1:62,-500. 65-32
- farnio: Geal. Sac. America, Bull., v. 76, na. 2, p. Kistler, R. W., Bateman, P. C., and Brannock, W. W., 1965, Isatapic oges af minerals from granitic racks af the central Sierro Nevodo and Inyo Mountains, Cali-155-164, pl. 1, 1:441,000. 65-34

Survey, Praf. Paper 470, 208 p., (a) pl. 1, 1:62,500, (b) pl. 2, 1:62,500, (c) pl. 3, 1:62,500, (d) pl. 4, 1:62,500, (f) pl. 8, 1:126,000, (g) fig. 7, 1:743,500 (pre-Cenazoic), (h) fig. 57, 1:480 (sketch map),

fig. 62, 1:480 (sketch map), (k) fig. 68, 1:19,-


Bateman, P. C., 1965, Gealagy and tungsten mineralization of the Bishap District, California. U. S. Geal.

91-59

Wahrhaftig, Clyde, 1965, Stepped topagraphy af the sauthern Sierro Nevodo, Colifornia: Geal. Sac. America Bull., v. 76, na. 10, p. 1165-1190, fig. 4, 65-38

- QUA), 1965, Guidebaak far field canference 1, narthern Great Basin and Califarnio: VIIth Congress, Aug.-Sept. 1965, (g) fig. 8-3, 1:478,800 (sketch fig. 8-5, 1:378,000 (ofter 41-46), (k) fig. 9-1, no International Association Quaternary Research (INmop), (h) fig. 8-4, 1:49,100 (glacial moraines), (j) scale given, (m) fig. 9-2, 1:214,200, (n) fig. 9-3, 1:214,200 (generalized fram athers). 65-44
- Sauthern , pl. B-1, Califarnia Dept. Water Resaurces, 1965, S Tualumne Caunty investigatian: Bull. 96, 1:126,000. 65-58
- Califarnia Dept. Water Resources, 1965, Maripasa area investigation: Bull. 131, pl. 10, 1:138,600 (cam-Kistler, R. W., 1966, Gealagic map of the Mana piled fram several sources). 65-60 -99
  - Craters quodrangle, Mono and Tualumne Caunties, California: U. S. Geol. Survey, Geal. Quad. Map Nelsan, C. A., 1966, Gealagic map af the Waucabo Mauntain quadrangle, Inya Caunty, Colifarnia: U. S. Geal. Survey, Geal. Quad. Map GQ-528, 1:62,500. 3Q-462, 64 p., map, 1:62,500. 66-2
- Nelson, C. A., 1966, Geolagic map of the Blanca Mauntain quadrangle, Inya and Mano Caunties, California: U. S. Geal. Survey, Geal. Quad. Map GQ-529, 1:62,500.

66-3



67-31 Huber, N. K., and Rinehart, C. D., 1967, Cenozoic volconic rocks at the Devils Postpile quadrongle, Eostern Sierro Nevada, California: U. S. Geol. Survey, Praf. Poper 554-D, 21 p., pl. 1, 1:62,500.

phy and structures af the Dinkey Creek roof pendant in the centrol Sierro Nevoda, Colifornio: U. S. Geol. Survey, Prof. Paper 524-B, 14 p., pl. 1, 1:31,680.

Kistler, R. W., and Boteman, P. C., 1966, Stratigra-

66-12

Emerson, D. O., 1966, Gronitic racks of the Mt. Barcraft quodrongle, Inyo Batholith, Colifarnia-Nevoda: Geal. Sac. Americo Bull. v. 77, no. 2, p. 127–152, fig.

66-17

2, 1:202,000.

66-44

Colifarnia Dept. Water Resources, 1966, Modero areo investigation: Bull. 135, pl. 9, 1:1,250,000

(campiled from several sources).

- 67-38 Strand, R. G., 1967, Moripaso Sheet: Colifarnia Div. Mines and Geol., Geol. Atlas of California, Map, 1:250,000.
- 67-43 McKee, E. H., and Nosh, D. B., 1967, Potossiumargon ages of granitic racks in the Inya Botholith, east-central Colifornia: Geal. Sac. America Bull., v. 78, p. 669-680, (a) fig. 2, 1:202,000, (b) fig. 3, 1:13,940.
- 67-50 Smith, A. R., 1967, Petrogrophy af six granitic intrusive units in the Yasemite Volley orea, Colifornia California Div. Mines and Geol., Special Rept. 91, p. 3–15, fig. 1, 1:84,000.

field frip guidebaok June 18 and 19, 1966, 76 p., (b) pl. III, 1:125,000 (apprax.), (d) fig. 9-2, 1:206,000, (e) fig. 9-3, 1:200,000, (f)

ig. 9-4, 1:84,000.

Colifornio Dept. Water Resources, 1967, Investigatian of geothermal woters in the Lang Volley area, Mono County: 141 p., pl. 2, 1:63,360.

Ross, D. C., 1967, Generolized gealogic mop of the Inya Mourtains Region, Colifornio: U. S. Geol. Sur-

67-4

Geological Society Socromenta, 1966, Guidebook olong the east-central front of the Sierro Nevado,

99-99

- 67-54 LaMorche, V. C., Jr., 1967, Spheroidol weothering of thermally metomorphased limestone and dalomite, White Mountoins, Colifornio: U. S. Geol. Survey, Prof. Poper 575-C, p. 32–37, fig. 1, 1:91,000.
- 68-5 Krouskapf, K. B., 1968, A tole of ten plutons: Geol. Soc. Americo Bull., v. 79, na. 1, p. 1–18, fig. 3, 1:202,000. (Sketch mop showing only olluvium, metovolconic and sedimentary rocks.)
- 68-6 Shorp, R. P., 1968, Sherwin till-Bishap tuff geologicol relotionships, Sierro Nevada, Colifornio: Geol. Soc. Americo Bull., v. 79, na. 3, p. 351–364, fig. 2, 1:19,-375.

McKee, E. H., and Nelson, C. A., 1967, Geologic mop of the Soldier Pass quadrongle, Colifornio and Nevado: U. S. Geol. Survey, Geal. Quad. Mop GQ-


67-24

554, 1:62,500.

vey, Misc. Geol. Inv. Mop I-506, Mop, 1:125,000.

67-16


- 68-7 McKee, E. H., 1968, Age and rate of movement of the northern port of the Deoth Valley-Furnace Creek fault zone, Colifornia: Geal. Sac. America Bull., v. 79, no. 4, p. 509–512, fig. 3, 1:125,000. (Only Upper Tertiory sedimentary rocks shown.)
- 68-16 Pokiser, L. C., 1968, Seismic evidence far the thickness of Cenozoic deposits in Mono Bosin, Colifornio: Geol. Soc. America Bull., v. 79, na. 12, p. 1833–1838, fig. 4, 1:200,000.
- 68-35 Dodge, F. C. W., and Moore, J. G., 1968, Occurrence ond composition of biatites fram the Cortridge Poss pluton of the Sierro Nevado botholith, Colifornio: U. S. Geol. Survey, Prof. Poper 600-B, p. 6−10, fig. 1, 1:93.750.
- 68-38 Huber, N. K., 1968, Geolagic mop of the Shuteye Peok quadrongle, Sierro Nevodo, Colifarnio: U. S. Geol. Survey, Geol. Quad. Map GQ-728, mop 1: 62,500.
- 68-52 Gross, E. G., and Porwel, A., 1968, Rutile minerolizotian of the White Mountoin andolusite deposits, Colifornio: Arkiv für Minerolagi Och Gealogi, Utgivet ov Kungl. Svensko Vetenskopsokodemien, Bond 4, nr 29, p. 493-497, fig. 1, 1:13,200.



67-11 Califarnia Dept. Water Resaurces, 1967, Water wells and springs in Bristal, Braadwell, Cadiz, Danby, and Lavic Valleys and vicinity. San Bernardina and Riverside Caunites, Califarnia: Bull.91-14, (a) fig. 2, 1:62,500, (b) fig. 3, 1:62,500, (c) fig. 4, 1:62,500, (d) fig. 5, 1:62,500.

67-12 Califarnia Dept. Water Resaurces, 1967, Water wells and springs in Sado, Silver, and Cranise Valleys San Bernardina Caunty, Califarnia: Bull. 91-13, fig. 2, 1:62,500.

68-42 Metzger, D. H., 1968, The Bause Farmatian (Pliacen) of the Parker-Blythe-Cibola area, Arizana and Califarnia: U. S. Geal. Survey, Prof. Paper 600-D, p. D126-D136. (Only Bause Farmatian shawn.)



Demirmen, F., and Harbaugh, J. W., 1965, Petragro-phy and origin of Permion McCloud limestone of northern Colifornio: Jour. of Sed. Petrology, v. 35, no. 65-41

Geol., County Rept. 4, (j) fig. 3, 1:2,400. (Also O'Brien, J. C., 1965, Mines ond minerol resources of Trinity County, Colifornio: Colifornio Div. Mines ond

45-12

oppeors in Colifornio Div. Mines and Geal. Bull. 152, 1950, p. 316, not previously indexed as such.)

Albers, J. P., Economic geology of the French Gulch quodrongle, Shosto and Trinity Counties, Colifornio (with a section on a geophysical survey of the Iron Mountoin mine by C. H. Sondberg, 1965): Colifornio Div. Mines and Geal., Spec. Rept. 85, 43 p., pl. 1,

64-20

- Ghent, E. D., 1965, Gloucophone schist focies metomorphism in the Block Butte oreo, northern Coost Ronges, Colifornio: Am. Jour. Sci., v. 263, no. 5, p. 385-400, fig. 1, 1:630,000. 1, p. 136-154, fig. 1, 1:289,800. 65-43
  - Colifornio Dept. Woter Resources, 1965, Upper Socromento River bosin investigotion: Bull. 150, (o) pl. 7, 1:3,600, (b) pl. 8, 1:2,400, (c) pl. 9, 1:4,800, (d) pl. 10, 1:7,200, (e) pl. 11, 1:3,600, (f) pl. 12, 1:4,-800. 65-63

Chopmon, R. H., 1965, Mognetic study of the Island Mountoin mine oreo, Trinity County, Colifornio: Colifornio Div. Mines and Geal., Spec. Rept. 86, p. 45–61, (a) fig. 2, 1:24,000 and (b) fig. 4, 1:3,000.

65-8

O'Brien, J. C., 1965, Mines and mineral resources of Trinity County, Colifornia: Colifornia Div. Mines and

65-11

Geol., County Rept. 4, pl. 2, 1:500,000.

Hollister, V. F., and Evans, J. R., 1965, Geology of the Redding quodrongle, Shosto County, Colifornio: Colifornio Div. Mines and Geal., Mop Sheet 4, 1:24,-000.

65-12

- River, and Klamath River developments, 410 p., (a) pl. 22, 1:4,800, (b) pl. 24, 1:3,600, (c) pl. 26, 1:63,000, (d) pl. 29, 1:31,500, (f) pl. 29, 1:31,500, (f) pl. 29, 1:31,500, (f) pl. 32, 1:32,200, (i) pl. 34, 1:63,000, (k) pl. 35, 1:12,000, (m) pl. 36, 1:19,200, (n) pl. 37, 1:6,000, (a) pl. 39, 1:4,800, (p) pl. 41, 1:24,000, (q) pl. 42, 1:33,000, (r) pl. 43, 1:63,000, (s) pl. 44, 1:5,400. Colifornio Dept. Woter Resources, 1965, North Coostol oreo investigation: Bull. 136, Appendix E, Engineering Geology, v. 2, Trinity River, lower Eel 65-70
- Counties, Colifornio: Colifornio Div. Mines and Geol., Bull. 134—Chromite in Colifornio Port 1—Klamoth Mountains, Chop. 3, (a) pl. 19, 1:500,000 (anly ultramofic racks shown), (b) fig. 3, 1:125,000, (c) fig. 6, 1:19,200. Wells, F. G., and Howkes, H. E., 1965, Chramite deposits of Shosto, Tehamo, Trinity and Humboldt 62-59

Hornblende Schist and Abroms Mico Schist, southern


Lonphere, M. A., and Irwin, W. P., 1965, Corboniferous isotopic age of the metomorphism of the Solmon Klomoth Mountoins, Colifornio: U. S. Geol. Survey, Prof. Poper 525-D, p. D27-D33, fig. 2, 1:27,700.

65-17

Dovis, G. A., Holdowoy, M. J., Lipmon, P. W., ond Romey, W. D., 1965, Structure, metomorphism, ond plutonism in the south-central Klamoth Mountains, Colifornia: Geal. Soc. Americo Bull., v. 76, no. 8, p. 933-966, (a) pl. 1, 1:81,900, (b) fig. 1, 1:100,800.

65-37

- Peterson, G. L., 1966, Structural interpretation of sandstone dikes, northwest Socromento Volley, Colifornio: Geol. Soc. Americo Bull., v. 77, no. 833-842, fig. 2, 1:143,750. 99-40
- coostol oreo investigation: Bull. 136, Appendix A, Wotershed monogement in the Eel River Bosin, pl. 4, 1:500,000 (modified from Irwin, W. P., 1960: Coli-Colifornio Dept. Woter Resources, 1966, fornio Div. Mines and Geal., Bull. 179) 66-45
- Cox, D. P., 1967, Reconnoissonce geology of the Heleno quodrongle, Trinity County, Colifornio: Colifornio Div. Mines ond Geol., Spec. Rept. 92, p. 43– 55, fig. 2, 1:125,000. 67-47
- Lydon, P. A., 1967, The origin of Tuscon Buttes and the volume of the Tuscon Formation in Northern Colifornio: Colifornio Div. Mines ond Geol., Spec. Rept. 91, p. 17-26, fig. 2, 1:21,120. 67-51
- Lonphere, M. A., Irwin, W. P., and Hatz, P. E., 1968, Isotopic age of the Nevadan Orageny and alder plutonic and metamorphic events in the Klomoth Mountoins, Colifornio: Geol. Soc. Americo Bull., v. 8, p. 1027-1052, pl. 1, 1:500,000. 79, по. 1 68-11
- Noson, R. D., 1968, Son Andreos foult of Cope Men-Sciences, v. XI, Proceedings of conference on geologdocino: Stanford University Publications in Geal. ic problems of Son Andreos foult system, p. 231-241 o) fig. 3, 1:30,000, (b) fig. 4, 1:336,000. 68-29
- coostol oreo investigation, south fork Eel River study Colifornio Dept. Woter Resources, -preliminory edition: Bull. 173, (b) 68-54



fornio, "Cenozoic volconism of the centrol Sierro Nevodo, Colifornio": Colifornio Div. Mines and Geal., Bull. 190, p. 199-208, fig. 3, 1:1,000,000. (Shows Slemmons, D. B., 1966, Geology of northern Coli-Stonislous formotion only. 66-21

Klein, I. E., 1957, Geology of the Hozel Creek gold mine, El Dorodo County, Colifornio: Colifornio Div. Mines and Geol., Open File Rept., 18 p., pl. 1, 1:4,

57-40

800. On file: CDMG (SF)

- fornio, "Evidence for cumulotive offset on the Son Andreos foult in centrol and northern Colifornio": Dibblee, T. W., Jr., 1966, Geology of Northern Coli-Colifornio Div. Mines and Geal., Bull. 190, p. 375-384, (b) fig. 2, 1:250,000. 66-25
- Strond, R. G., and Koenig, J. B., 1966, Socramento Sheet: Colifornio Div. Mines and Geol., Geol. Atlas 66-31

Kirkemo H., Anderson, C. A. ond Creosey, S. C., 1965, Investigations of molybdenum deposits in the conterminous United States: U. S. Geol. Survey, Bull. 1182-E, 90 p., (a) pl. 2, 1:1,900, (b) fig. 10, 1:960.

65-24

International Association for Quaternary Research (INQUA), 1965, Guidebook for field conference I, northern Great Basin and Colifornia: VIIth Congress,

65-44

116-6, (o) fig. 7. (Foults only, some doto os on mop

in Bull. 116-2, but on non-contoured bose.)

Colifornio Dept. Woter Resources, 1968, Geodimeter foult movement investigotions in Colifornio: Bull.

64-45

- Loomis, A. A., 1966, Contoct metomorphic reactions ond processes in the Mt. Tolloc roof remnont, Sierro Nevodo, Colifornio: Jour. Petrology, v. 7, pt. 2, p. of Colifornio, Mop, 1:250,000. 221-245, fig. 2, 1:77,500. 66-4]
- Colifornio Dept. Woter Resources, 1967, Son Joo-quin county ground woter investigation: Bull. 146, 177 p., (o) pl. 2A, 1:202,000. 67-3

Colifornio Dept. Woter Resources, 1965, Woter well

65-55

Aug.-Sept. 1965, (b) fig. 7-1, 1:126,000, (c) fig. 7-3, 1:69,800 (glocial gealogy).

stondords, Son Jooquin County: Bull. 74-5, pl. 3,

1:81,900 (compiled from mony sources).

Mother Lode Gold and Sierro Foothills copper mining

Henderson, J. R., Jr., Stromquist, A. A., and Jespersen, Anno, 1966, Aeromognetic mop of ports of the districts, Colifornio, U. S. Geol. Survey, Geophys.

2-99

Inv. Mop GP-561, 1:62,500. (Lot. 37°,52' 30", to 38°10', long. 120° to 120°52'30", occomponied


by o 4-poge text.)

to 120°52'30", occomponied

- port in Coche Creek droinoge bosin in the Coost Ronges west of Socromento, Colifornio: U. S. Geol. Survey, Prof. Poper 562-A, 36 p., pl. 1, 1:250,000 Lustig, L. K., and Busch, R. D., 1967, Sediment transcompiled from vorious other sources) 67-48
- Dodge, F. C. W., and Fillo, P. V., 1967, Mineral resources of the Desolation Primitive Area of the Sierro Nevodo, Colifornio: U. S. Geol. Survey, Bull. 1261-A, 27 p., pl. 1, 1:62,500. 67-58


- resources of Son Froncisco Boy: Colifornio Div. Mines Goldmon, H. B., 1967, Solt, sond ond shells-mineral ond Geol. (prepored for Son Froncisco Boy Conser-1:336,000 (scottered solt, sond, and shell deposits). votion and Development Commission), 28 p., fig. 99-79
- Goldmon, H. B., 1967, Geology of Son Froncisco Boy: Colifornio Div. Mines and Geal. (prepared for Son Froncisco Boy Conservotion and Development Commission), 62 p., fig. 1, 1:500,000. 67-67
- book of the Geological Society of Socramento, 60 p., (a) Mop in pocket, 1:62,500, (b) fig. 3, 1:500,000 Shlemon, R. J., 1967, Quoternory geology of northern Socromento County, Colifornio: Field Trip Guide-(Pleistocene chonnels). 69-79
- Burnett, J. L., 1967, Preliminory geologic mop of the Loke Tohoe bosin, southern holf: Colifornio Div. Mines and Geal., Open File map, 1:62,500. On file: Bishop, C. C., and Chapman, R. H., 1968, lane Bosin tested: Colifornio Div. Mines and Geal., Mineral Inf. Service, v. 21, no. 6, p. 94-95, p. 94, 1:67,150 (three CDMG (SF, LA, Soc). 67-71 68-1
- Geologicol Society Socromento, 1968, Studies in the Loke Tohoe oreo, Colifornio ond Nevodo: Annuol Field Trip Guidebook for 1968, pl. 1, 1:125,000. 68-14

units mopped).



67-11 Califarnia Dept. Water Resaurces, 1967, Water wells and springs in Bristal, Braadwell, Cadiz, Danby, and Lavic Valleys and vicinity, San Bernardina and Riverside Caunties, Califarnia: Bull. 91-14, (d) fig. 5, 1:62,500.

67-37 Jennings, C. W., 1967, Saltan Sea Sheet: Califarnia Div. Mines and Geal, Geal. Atlas of Califarnia, Map, 1:250,000. 68-42 Metzger, D. G., 1968, The Bause Farmatian (Pliacene) of the Parker-Blythe-Cibala area, Arizana and California: U. S. Geal. Survey, Prof. Paper 600-D, p. D126–D136. (Only Bause Farmatian shawn.)



- 65-67 Dibblee, T. W., Jr., 1965, Geologic mop of the Cojon 7½ minute quodrongle, Son Bernordino County, Colifornio: U. S. Geol. Survey, Open File mop, 1:24,000. On file: USGS (DC, Den, MP, SF, LA); CDMG (LA, SF).
- 65-74 Weber, F. H., Jr., 1965, Silver-borite deposits of the Borstow region: Colifornio Div. Mines ond Geol., Open File mop, 1:42,000. On file: CDMG (LA).

Oro Gronde Series neor Victorville, Colifornio: Colifornio Div. Mines ond Geol., Spec. Rept. 84, 41 p.,

pl. 1, 1:12,000.

65-15

Yerkes, R. F., McCulloh, T. H., Schoellhomer, J. E., and Vedder, J. G., 1965, Geology of the Los Angeles

Bowen, O. E., Jr., and Ver Planck, W. E., 1965, Stratigraphy, structure, and mineral deposits in the

65-4

Colifornio Dept. Woter Resources, 1968, Geodimeter foult movement investigotions in Colifornio: Bull.

64-45

116-6, (g) fig. 25, (h) fig. 27, (j) fig. 29.

- 65-77 Weber, F. H., Jr., 1965, Reconnoissonce of silverborite deposits, Colico district, Son Bernordino County, Colifornio: Colifornio Div. Mines and Geal., Open File map, 1:9,600. On file: CDMG (LA, SF, Sac).
- 66-4 Dibblee, T. W., Jr., 1966, Geologic mop of the Lovic quodrongle, Son Bernordino County, Colifornio: U. S. Geol. Survey, Misc. Geol. Inv. Mop I-472, 1:62,500. (Accomponied by 5 page text.)

bosin, Colifornio—an introduction: U. S. Geol. Survey, Prof. Poper 420-A, 57 p., (e) fig. 2, 1:504,000 (foults only), (b) fig. 3, 1:504,000 (foults only), (c) fig. 5, 1:529,200 (bosement rocks), (d) fig. 6, 1:504,000 (Upper Cretoceous), (e) fig. 7, 1:504,000 (Poleocene and Eocene), (f) fig. 8, 1:504,000 (Lower Miocene), (g) fig. 9, 1:504,000 (Middle Miocene), (h) fig. 10, 1:504,000 (Upper Miocene), (i) fig. 11, 1:504,000 (Lower Pliocene), (k) fig. 14, fig. 14,

66-5 Dibblee, T. W., Jr., and Bossett, A. M., 1966, Geologic mop of the Cody Mountains quadrongle, Son Bernardina County, Colifornia: U. S. Geol. Survey, Misc. Geol. Inv. Map I-467, 1:62,500. (Accomponied by 5 page text.)

Richmond, J. F., 1965, Chemicol voriotion in quortz monzonite from Coctus Flot, Son Bernordino Mountoins, Colifornio: Am. Jour. Sci., v. 263, no. 1, p. 53-63, fig. 2, 1:20,200.

62-39

1:504,000 (Upper Miocene).

- 66-6 Dibblee, T. W., Jr., and Bossett, A. M., 1966, Geologic mop of the Newberry quadrongle, San Bernardina County, Colifornia: U. S. Geol. Survey, Misc. Geol. Inv. Map 1-461, 1:62,500.
- 66-25 Dibblee, T. W., Jr., 1966, Geology of Northern Colifornio, "Evidence for cumulotive offset on the Son Andreos foult in central and northern Colifornio": Colifornio Div. Mines and Geal., Bull. 190, p. 375–384, (f) fig. 6, 1:1,000,000.

Colifornio: U. S. Geol. Survey, Open File map, 1:24,000. On file: USGS (DC, Den, MP, SF); CDMG (LA, SF).

nont loterol or vertical displacement: Selected popers, Son Jooquin Geological Soc., v. 3, p. 4–18, (o) fig. 2, 1:334,000 (ofter 54-8).

Dibblee, T. W., Jr., 1965, Geologic mop of the Hesperio 15-minute quodrongle, Son Bernordino County, Colifornio: U. S. Geol. Survey, Open File mop., 1:62,500. On file: USGS (DC, Den, MP, SF, LA); CDMG

99-59

Ookeshott, G. B., 1965, Son Andreos foult: Predomi-


65-50

McCulloh, T. H., 1965, Geologic mop of the Nebo

65-42

ond Yermo quodrongles, Son Bernordino County,

- 66-34 Giessner, F. W., and Westphol, J. A., 1966, Ground-woter inventory for 1965, Edwords Air Force Bose, Colifornio: U. S. Geol. Survey, Open File Rept., 24 p., fig. 3, 1:62,500. On file: USGS (DC, LA, SF, MP).
- 66-47 Colifornio Dept. Woter Resouces, 1966, Planned utilizotion of ground woter bosins, Son Gobriel Volley: Bull. 104-2, pl. 90, 1:125,000.
- 66-50 Colifornio Dept. Woter Resources, 1966, Water wells in the eastern port of the Antelope Volley oreo, Los Angeles County, Colifornio: Bull. 91-12, fig. 2, 1:63,-360.
- 66-54 Ver Plonck, W. E., 1966, Quortzite in Californio: Colifornio Div. Mines and Geol., Bull. 187, 58 p., (a) pl. 2, 1:11,800.
- 66-55 Streitz, Robert, 1966, Preliminory geologic mop of the SE 1/4 Glendoro quodrongle, Los Angeles County, Colifornio: Colifornio Div. Mines ond Geol. in coop. with Los Angeles County, Open File Rept., mop, 1:9,-600. On file: CDMG (LA, SF, Soc).
- 67-6 Baird, A. K., McIntyre, D. B., and Welday, E. E., 1967, Geochemical and structural studies in both-olithic racks of Southern Colifornia: Port II, Sompling of the Rottlesnake Mountain Plutan for chemical composition, variability, and trend analysis: Geol. Soc. America Bull., v. 78, no. 2, p. 191–222, fig. 1, 1:336, 000.
- 67-9 Colifornio Dept. Water Resources, 1967, Mojove River ground woter bosins investigation: Bull. 84, 151 p., pl. 2, 1:143,750.



Dibblee, T. W., Jr., 1967, Gealagic map of the Ludlow quadrangle, San Bernordina Caunty: U. S. Geol. Survey, Misc. Geal. Inv. Map 1-477, 1:62,500 (accampanied by 4-page text) 67-28

Colifarnia Dept. Water Resources, 1967, Woter wells ond springs in Bristal, Braadwell, Cadiz, Danby and Lavic Valleys and vicinity, San Bernardino and Riverside Caunties, Califarnio: Bull. 91-14, (a) fig. 2, 1:-

67-11

farnia: U. S. Geal. Survey, Misc. Geal. Inv. Map san Lake quadrangle, San Bernardina Caunty, Cali-Dibblee, T. W., Jr., 1967, Gealagic map af the Emer-1-490, 1:62,500 (accampanied by 4-page text). 67-29

Califarnia Dept. Water Resaurces, 1967, Water wells ond springs in Sada, Silver, and Cranise Volleys, San Bernardina Caunty, Califarnia: Bull. 91-13, fig. 2,

62,500, (b) fig. 3, 1:62,500.

67-12

Dibblee, T. W., Jr., 1967, Gealogic map of the Old Waman Springs quodrangle, San Bernardina Caunty: U. S. Geal. Survey, Misc. Geal. Inv. Map I-518, 1:62,-

67-13

- Crawder, D. F., 1967, Minerol resaurces of the Devil 67-32
  - Canyan-Bear Canyan Primitive area, Califarnia: U. S. Dibblee, T. W., Jr., 1967, Gealagic map af the Dead-Geal. Survey, Bull. 1230-G, 21 p., pl. 1, 1:62,500. 67-33
- farnia: U. S. Geal. Survey, Misc. Geal. Inv. Map man Loke quodrangle, San Bernardina County, Cali-1-488, 1:62,500 (accampanied by 3-page text).

Jashua Tree quadrangle, Son Bernardina ond River-

Dibblee, T. W., Jr., 1967, Gealagic map at the Marango Valley quodrangle, San Bernardina and Riverside Caunties: U. S. Geal. Survey, Misc. Geal. Inv. Map 1-517, 1:62,500 (accampanied by 4-page

3-page text).

67-18

Dibblee, T. W., Jr., 1967, Gealagic map of the side Caunties, Californio: U. S. Geal. Survey, Misc. Geal. Inv. Map 1-516, 1:62,500 (accampanied by

67-17

500 (accampanied by 5-page text).

P Dibblee, T. W., Jr., 1967, Areal geology of the westen Majave Desert California: U. S. Geal. Survey, Prof. Paper 522, 153 p., (a) pl. 1, 1:125,000, (c) fig. 5, 1:62,500, (d) fig. 7, 1:68,000, (e) fig. 9, 1:62,500, (l) fig. 14, 1:47,500, (k) fig. 16, 1:62,500, (l) fig. 17, 1:62,500, (m) fig. 18, 1:50,500, (n) fig. 19, 1:47,500, (a) fig. 20, 1:50,500, (q) fig. 23, 1:62,500, (r) fig. 24, 1:47,500, (s) fig. 25, 1:62,500, (v) fig. 28, 1:50,500, (v) fig. 33, 1:62,500, (k) fig. 46, 1:68,000, (mm) fig. 49, 1:68,000, (mn) fig. 50, 1:52,500, (eee) lig. 72, 1:500,000. 67-49

tary of the Las Angeles Basin, Colifornia California Div. Mines and Geal., Spec. Rept. 93, 63 p., fig. 3,

1:250,000.

Canrey, B. L., 1967, Early Pliacene sedimentary his-

61-79

text).

Streitz, Robert, 1967, Preliminary geologic map of the SW1/4 Mt. Baldy quadrangle, Las Angeles Caunty, Califarnio: Califarnio Div. Mines and Geol. in coap. with Las Angeles Caunty, Open File Rept., Map, 1:9,-600. On file: CDMG (LA, SF). 67-56

Applied Geaphys., v. 32, na. 2, p. 297–301, fig. 1, 1.250,000. (Parallel af lotitude incarrectly labeled.)

Gealagic map of the

Colifarnia: U. S. Geol. Survey, Misc. Geal. Inv. Map

Braodwell Lake quadrangle, San Bernordina Caunty, -478, 1:62,500 (accomponied by 3-page text).

Dibblee, T. W., Jr., 1967,

67-26


San Andreas fault zane: Geaphys. Jaur. General and

Damenica, S. N., 1967, Detail gravity prafile acrass

67-20

telape Valley, East Kern water agency area, California: U. S. Geal. Survey, Open File Rept., 73 p., fig. Blayd, R. M., Jr., 1967, Water resaurces af the An-5, 1:125,000 (undiff. cansalidated racks and more detailed uncansalidated stream, playa, and fan depasits). On file: USGS (DC, MP, SF, LA, Garden 67-62

- Edwards Air Farce Base, Califarnia: U. S. Geal. Survey, Open File Rept., 10 p., fig. 2, 1:62,500. On file: Tyley, S. J., 1967, Graund-water inventory far 1966, USGS (DC, LA, MP, SF) 67-63
- U. S. Geal. Survey, Open File Rept., Map, 1:24,000. On file: USGS (DC, Den, MP, SF, LA); CDMG (LA, pa quadrangle, San Bernardino County, California: Dibblee, T. W., Jr., 1968, Gealagic map af the Yucai-68-12
- Dibblee, T. W., Jr., 1968, Gealogic map of the Twentynine Palms quodrongle, San Bernardina and Riverside Caunties, California: U. S. Geal. Survey, Misc. Geal. Inv. Map 1-561, 1:62,500. 68-20
- Shreve, R. L., 1968, The Blackhawk londslide: Geal. Sac. America, Special Paper No. 108, 47 p., pl. 1, 1:24,000. 68-23
- of San Andreas foult system, p. 260–278, (a) fig. 1, 1:633,600, (b) fig. 2 (top), 1:356,250, (c) fig. 2 (battam), 1:256,250, (d) fig. 3, 1:633,600. Andreas foult system in the San Gabriel, San Bernordina and Son Jacinta Mauntains, southern California: Stanfard University Publications in Geal. Sciences, v. XI, Praceedings af canference an geolagic prablems Dibblee, T. W., Jr., 1968, Displacements on the San 68-31
- Mauntains, Califarnia: Califarnia Div. Mines and Geol., Open File map, 1:62,500. On file: CDMG (LA, Martan, D. M., and Streitz, Rabert, 1968, Preliminary recannaissonce map af majar landslides, San Gabriel 68-48
- Rass, D. C., 1968, Map showing recently octive breaks olang the San Andreas and related faults between Tejon Pass and Cajon Pass, Califarnia: U. S. Geal. Survey, Open File map, 1:24,000. On file: USGS (SF, MP, LA); CDMG (LA, SF) 68-61



Open File map, 1:24,000, (a) pt. 1, Del Mar quad. (W½), Escandida quad, (SW¼), Paway Valley quad. (NW¼), (b) pt. 2, Lo Jalla quad. (parts), to Mesa quadrangle (S⅓), National City quad. (NW¼), Pt. Lama quad., (c) pt. 3, Otay Mesa quad. (W⅓). San Ysidra quad. (W⅓) On file: nary) af the City af Son Diega, Colifornia: California Kennedy, M. P., 1967, Engineering geology (prelimi-Div. Mines and Geal. in caop. with City of San Diega, CDMG (LA, SF, Soc, San Diega City Engineer's Office far reprints). 67-73

Geal. in coap with City of San Diega, Open File map, 1:2,400. On file: CDMG (LA, SF, Sac, San Diega

City Engineer's Office far reprints).

Kennedy, M. P., 1966, Gealagic map of City of San Diego (Sunset Cliffs): Califarnia Div. Mines and

66-57

California State Water Quality Cantral Baard, 1965 An aceonagraphic and bialagical survey af the sauthern California mainland shelf: Publication no. 27, 231 p., (d) fig. 4-5, 1:675,000. (Sediment types anly.)

65-76

Late Jurossic age of the Santioga Peak valcanics,

Fife, D. L., Minch, J. A., and Crampton, P. J., 1967,

7-79

Califarnia: Geal. Sac. America Bull., v. 78, na. 2, p. 299–304, fig. 2, 1:250,000.

ter accurrence and quality, San Diega regian: Bull. 106-2, v. 2, (b) pl. 28, 1:143,750, (c) pl. 2C, 1:143,-750.

Califarnia Dept. Water Resaurces, 1967, Graund wo-


8-79

Kennedy, M. P., 1967, Preliminary gealagic map of a partian of NE San Diego City, California (detailed area 1 of 5): Californio Div. Mines and Geal. in caap. with City of Son Diega, Open File map, 1:9,-600. On file: CDMG (LA, SF, San Diega City Engineer's affice for reprints). 67-74

68-49 68-50

area 2 of 5): California Div. Mines and Geol. in Kennedy, M. P., 1968, Preliminary gealogic map of a partian of NW San Diega City, California (detailed oreo 3 of 5): California Div. Mines and Geal. Kennedy, M. P., 1968, Preliminary geolagic mop of a partian of NE San Diega City, California (detailed caap. with City af San Diega, Open File Map, 1:9,-600. On file: CDMG (LA, SF, San Diega City Engineer's Office far reprints)

in caop. with City of San Diega, Open File map, 1:9,600. On file. CDMG (LA, SF, San Diega City California Dept. Water Resaurces, 1968, Water wells ond springs in Barrega, Carriza, and San Felipe Valley area, San Diega ond Imperial Counties, California: Bull. 91-15, (b) fig. 3, 1:62,500. (Campiled by W. R. Mayle, Jr.) Engineer's Office far reprints) 68-53



65-20 Addicott, W. O., 1965, On the identification of Schizopygo coliforniono Conrad, a California Pliocene gastropad: California Acad.Sci.Proc., v. 33, no. 2, p. 47-58, fig. 1, 1:252,000 (after 54-77).

Bonilla, M. G., 1960, Landslides in the San Francisca South quadrangle, California: U. S. Geol. Survey,

69-09

Open File Rept., 44 p., fig. 2, 1;24,000 (landslides anly). On file: CDMG (SF).

fornia, "Field trip Paint Reyes Peninsula and San

Galloway, A. J., 1966, Geology af northern Cali-

62-17

Andreas fault zone": Califarnia Div. Mines and

Geol., Bull. 190, p. 429-440, fig. 1, 1:250,000.

Dibblee, T. W., Jr., 1966, Geology of the Palo Alto quadrangle, Santa Clara Caunty, Califarnia: California Div. Mines and Geol., Map Sheet 8, 1:62,500

63-60

(including a short summary of the structure and rack

units in the area).

- 65-25 Bonilla, M. G., 1965, Geologic map of the San Francisco South quadrangle, California: U. S. Geol.Survey, Open File map, 1:20,000. On File: USGS (DC, Den, MP, SF, LA); CDMG (SF).
  - Den, MP, SF, LA); CDMG (SF).
    65-40 Gromme, C. S., and Gluskater, H. J., 1965, Remanert magnetization of spilite and diabase in the Franciscan Formation, western Marin County, California, Jour. Gealogy, v. 73, no. 1, p. 74–94, fig. 1, 1:113,
- 400.
  65-44 International Assaciation for Quaternary Research (INQUA), 1965, Guidebaok for field conference I, northern Great Bosin and Califarnia: VIIIh Congress, Aug.-Sept. 1965, (r) fig. 13-1, 1:126,000 (marine
- 65-50 Oakeshott, G. B., 1965, San Andreas fault: Predominant lateral or vertical displacement: Selected papers, San Joaquin Geological Soc., v. 3, p. 4-18, (e) fig. 7, 1:554,400 (after E. E. Brabb).

terraces).

116-6, (a) fig. 7, (b) fig. 9, (c) fig. 11. (Faults only, same data as an map in Bull. 116-2, but on non-

contoured base.)

62-9

Burnett, J. L., 1965, Expansible shale resources of the San Jose-Gilroy area, California: California Div. Mines and Geol., Spec. Rept. 87, 32 p., pl. 1, 1:126,

California Dept. Water Resources, 1968, Geodimeter fault movement investigations in California: Bull.

64-45

- 65-57 California Dept. Woter Resources, 1965, Coastal San Matea County Investigation: Bull. 138 (preliminory edition), pl. 5, 1:126,000.
- 65-64 Radbruch, D. H., 1967, Approximate location of fault traces and historic surface ruptures within the Hayward fault zone between San Pablo and Worm Springs, California: U. S.Geol. Survey, Misc. Geol. Inv. Map 1-522, 1:62,500.


1965, Approximate trace of the main surface rupture

Schlocker, J., Pampeyan, E. H., and Bonilla, M. G.,

- in the San Andreas fault zane between Pacifica and Sarataga, California, formed during the earthquake of April 18, 1906. U. S. Geol. Survey, Open File Rept., Map, 1:63,000. On file: USGS (DC, Den, MP, SF, LA); CDMG (SF, LA).

  65-75 Lafgren, Ben, 1965, Landslides and subsidence geologic hazards conference, "Subsidence related to ground water withdrawal!"; State of California, Resources Agency (California Div. Mines and Geol.), p. 105-110, fig. 16, 1:338,000 (shows three penenal
  - ground water withdrawal!". State of California, Resources Agency (California Div. Mines and Geol.), p. 105-110, fig. 16, 1:338,000 (shows three general rock units).

    Goldman, H. B., 1967, Geology of Son Francisco Bay: California Div. Mines and Geol. (prepared for San Francisco Bay Conservation and Development Commission), 62 p., fig. 8, 1:336,000 (approx.).
- 66-23 Wahrhaftig, Clyde, 1966, Geologic nature wolks in San Francisco and environs "Walk VIII: Fleishhacker Zao to Mussel Rock (Merced Formation)": California Div. Mines and Geol., Mineral Inf. Service (Special Supplement), v. 19, na. 11, p. 51-529, Map VIII, 1:50,500.



67-52 Lea, G. W., 1967, The plutanic and metamarphic racks of the Ben Lamond Mauntain area Santo Cruz Caunty, California California Div. Mines and Geel., Spec. Rept. 91, p. 27–43, map, 1:62,500.

farnia, "Evidence far cumulative affset an the San Andreas fault in central and narthern Califarnia": Califarnio Div. Mines and Geal., Bull. 190, p. 375– 384, (a) fig. 1, 1.250,000, (d) fig. 4, 1.77,500, (g)

fig. 7, 1:500,000.

66-43

Dibblee, T. W., Jr., 1966, Gealagy af Narthern Cali-

66-25

Cherry, J. A., 1966, Sand mavement along equilibrium beaches narth af San Francisca: Jour. Sed. Petralagy, v. 36, na. 2, p. 341–357, fig. 6, 1:250,000. (Madified after Gallaway, A. J., 1962.)

- 67-60 Akers, J. P., and Hickey, J. J., 1967, Geahydralagic recannaissance of the Saquel-Aptas area, Santa Cruz Caunty, California: U. S. Geal, Survey, Open File Rept., S8 p., fig. 1, 1:48,000. On file: USGS (DC, MP, SF, LA).
  - MP., SF, LA).
    67-65 Radbruch, D. H., and Case, J. E., 1967, Preliminary gealogic map and engineering infarmatian, Oakland and vicinity, California: U. S. Geal. Survey, Open File Rept., mop, 1:24,000, On file: USGS (DC, MP, SF, LA); CDMG (SF, LA).
- 67-66 Galdman, H. B., 1967, Salt, sand and shells—mineral resources of San Francisca Bay: California Div. Mines and Geal. (prepared for San Francisca Bay Canservation and Development Commission), 28 p., fig. 1.336,000 (scattered salt, sand and shell deposits).

Martin, B. D., and Emery, K. O., 1967, Geolagy of Manterey Canyan, California: Am. Assoc. Petraleum

67-2

Gealagists Bull., v. 51, na. 11, p. 2281–2304, (b) fig.

5, 1:1,000,000.

Colifarnia Dept. Water Resaurces, 1966, Coastal San Matea caunty investigation: Bull. 138, pl. 5, 1:125,-

99-99

Califarnia Dept. Water Resaurces, 1967, Evaluatian of ground water resaurces, Sauth Bay, "Appendix A: gealagy": Bull. 118-1, 153, p., pl. 3, 1:125,000.

67-10

Page, B. M., and Tabor, L. L., 1967, Chaatic structure and décallement in Cenazaic rocks neor Stanfard

67-21

University, Colifarnia: Geal. Sac. America Bull., v. 78

p. 1-12, pl. 1, 1:26,250.

67-67 Galdman, H. B., 1967, Gealogy af San Francisca Bay: California Div. Mines and Geal. (prepared far San Francisca Bay Canservation and Development Cammission), 62 p., fig. 1, 1:500,000.

- 67-77 Brawn, R. D., Jr., 1967, Mast canspicuaus strands of the San Andreas fault, sauthwestern Marin Caunty, Cafifarnio: U. S. Geal. Survey, Open file map, 1:24,-000. On file: USGS (DC, Den, MP, SF, LA); CDMG (SF, LA).
- 68-24 Jahnson, A. I., Mastan, R. P., and Marris, D. A., 1968, Physical and hydralagic praperties of waterbearing deposits in subsiding areas in central California: U. S. Geal. Survey, Praf. Paper 497-A, 71 p., fig. 6, 1:316, 800.


Cummings, J. C., 1968, The Santo Clara Farmotian

68-28

- and passible past-Pliacene slip on the San Andreas fault in central California: Stanfard University Publications in Geal. Sciences, v. XI, Praceedings of conference an geologic problems of San Andreas fault system, p. 191–207, fig. 4, 1:300,000.

  68-36 Page, N. J., 1968, Serpentinization in a sheared serpentinite lens. Tiburan Peninsula California.
- o8-30 Page, N. J., 1908, Serpentinization in a sheared serpentinite lens, Tiburan Peninsula, Califarriia. U. S. Geal. Survey, Praf. Paper 600-8, p. 21–28, (a) fig. 1, 1:840, (b) fig. 2, 1:360.
  68-58 Radbruch, D. H., 1968, Map shawing recently active breaks along the Hayward Fault zane and the sauth-

ern part of the Calaveras Fault zane, Califarnia: U. S. Geal. Survey, Open File map, 1:24,000 (2 sheets). On file: USGS (MP, SF); CDMG (SF, LA).



#### Bibliography

Califarnia Dept. Water Resaurces, 1965, Water well standards, San Jaaquin Caunty: Bull. 74-5, pl. 3, 1:81,900 (campiled fram many saurces) 65-55

Peck, D. L., Wahrhaftig, Clyde, and Clark, L. D., 1966, Gealagy af Narthern California, "Field trip Yasemite Valley and Sierra Nevada Bathalith": Cali-

62-8

farnia Div. Mines and Geal., Bull. 190, p. 487-502,

ig. 2, 1:84,000.

- Califarnia Dept. Water Resaurces, 1965, Sauthern Tualumne Caunty investigatian: Bull. 96, pl. B-1, 65-58
- Califarnia Dept. Water Resaurces, 1965, Maripasa 1:126,000.

agy of Narthern Califarnia, "Gealagy of the Sierra Nevada": Califarnia Div. Mines and Geal., Bull. 190,

p. 107-172, fig. 1, 1:1,000,000.

Bateman, P. C., and Wahrhaftig, Clyde, 1966, Geal-

63-23

Califarnia Dept. Water Resaurces, 1968, Geadimeter fault mavement investigatians in Califarnia: Bull. 116-6, (a) fig. 7, (b) fig. 9, (c) fig. 11. (Faults anly, same data as an map in Bull. 116-2, but an nan-

64-45

- area investigatian: Bull. 131, pl. 10, 1:138,600 (com piled fram several saurces). 65-60
- Springs, Califarnia: U. S. Geal. Survey, Misc. Geal. Inv. Map 1-522, 1:62,500. ward fault zane between San Pablo and Warm Radbruch, D. H., 1967, Appraximate lacation af fault traces and histaric surface ruptures within the Hay-65-64
- lagic hazords conference, "Subsidence reloted ta graund water withdrawal": State af Califarnia, Re-Lafgren, Ben, 1965, Landslides and subsidence geasaurces Agency (Califarnia Div. Mines and Geal.), p. 105–110, fig. 16, 1:336,000 (shaws three general ack units). 65-75

Burnett, J. L., 1965, Expansible shale resaurces af the San Jase-Gilray area, Califarnia: California Div. Mines and Geal., Spec. Rept. 87, 32 p., pl. 1, 1:126, 000.

62-9

Mines and Geal., Bull. 185, 32 p., pl. 1, 1:62,500.

Saliman, S. M., 1965, Gealagy af the east half af the Mt. Hamiltan quadrangle, Califarnia: Colifarnia Div.

65-3


contaured base.)

Galdman, H. B., 1967, Gealagy of San Francisca Bay: Califarnia Div. Mines and Geal. (prepared for San Francisca Bay Canservatian and Develapment Cammissian), 62 p., fig. 8, 1:336,000 (apprax.).

Schizopyga californiana Canrad, a Califarnia Pliacene gastrapad: Califarnia Acad. Sci. Proc., v. 33, na. 2, p. 47–58, fig. 1, 1:252,000 (after 54-77).

Addicatt, W. O., 1965, On the identification of

- farnia, "Cenazaic valcanism of the central Sierra Nevada, Califarnia": Califarnia Div. Mines ond Geal. Bull., 190, p. 199-208, fig. 3, 1:1,000,000. (Shaws Slemmans, D. B., 1966, Gealogy of Narthern Cali-Stanislaus Formatian anly.) 66-21
- Dibblee, T. W., Jr., 1966, Gealagy af Narthern California, "Evidence far cumulative affset an the San California Div. Mines and Geal., Bull. 190, p. 375–384, (a) fig. 1, 1:250,000, (d) fig. 4, 1:77,500, (g) Andreas foult in central and narthern California": 66-25
- Ragers, T. H., 1966, San Jase Sheet: Californio Div. Mines and Geal., Geol. Atlas af Californio, mop sen, Anna, 1966, Aeramagnetic map af parts af the Mather Lade Gald and Sierra Faathills capper mining Hendersan, J. R., Jr., Stramquist, A. A., and Jesper-1:250,000. 99-30 2-99
- 1:62,500. (Lat 37°52'30" ta 38°10', long 120° ta U. S. Geol. Survey Geophys. Inv. Map GP-561, districts, California, and its geolagic interpretatian: 120°52'30", occampanied by a 4-page text.)



67-23 Gromme, C. S., Merrill, R. T., and Verhoagen, J., 1967, Poleomognetism of Jurossic and Cretoceous plutonic rocks in the Sierro Nevado, Californio, and its significance for polor wandering and continental drift. Jour. Geophys. Research, v. 72, no. 22, p. 5661 –5684, fig. 1, 1:125,000 (offer Best, M. G., 1961, Univ. Colif. PhD thesis).

oreo investigotion: Bull. 135, pl. 9, 1:1,250,000

compiled from several sources.

66-49

Colifornio Dept. Woter Resources, 1966,

66-44

67-60 Akers, J. P., and Hickey, J. J., 1967, Geohydrologic reconnoissance of the Soquel-Aptos area, Sonto Cruz County, Colifornio: U. S. Geol. Survey, Open File Rept., 58 p., fig. 1, 1:48,000. On file: USGS (DC, MP, SF, LA).

Mortin, B. D., and Emery, K. O., 1967, Geology of Monterey Conyon, Colifornia: Am. Assoc. Petroleum

67-2

Geologists Bull., v. 51, no. 11, p. 2281-2304, (b) fig.

5, 1:1,000,000.

Colifornio Dept. Woter Resources, 1967, Son Jooquin County ground woter investigation: Bull. 146, 177 p., (o) pl. 2A, 1:202,000, (b) pl. 2B, 1:202,000.

67-3

Colifornio Dept. Woter Resources, 1967, Evoluotion of ground woter resources, South Boy, "Appendix A:

67-10

Leonordos, O. H., Jr., and Fyfe, W. S., 1967, Serpentines and associated albitites, Maccosin quadrangle, Colifornio: Am. Jour. Sci., v. 265, no. 7, p. 609–618,

67-22

geology": Bull. 118-1, 153, p., pl. 3, 1:125,000.

Colifornio Dept. Woter Resources, 1966, Livermore ond Sunol Volleys evoluotion of ground woter resources: Bull. 118-2, 79 p., pl 3, 1:125,000 (compiled


and modified from various other sources.)

- 67-66 Goldmon, H. B., 1967, Solt, sond ond shells—minerol resources of Son Froncisco Boy: Colifornio Div. Mines ond Geol. (prepored for Son Froncisco Boy Conservation ond Development Commission), 28 p., fig. 1, 1:336,000 (scottered solt, sond ond shell deposits).
- 67-67 Goldmon, H. B., 1967, Geology of Son Froncisco Boy: Colifornio Div. Mines and Geol. (prepared for Son Froncisco Boy Conservation and Development Commission), 62 p., fig. 1, 1:500,000.
- 67-75 Am. Assoc. Petroleum Geologists (Pocific Section) ond Soc. Econ. Poleontologists and Minerologists (Pocific Section) 1967, Gobilon Ronge and odjocent Son Andreas foult: Guidebook for the joint annual field trip, October 20–21, 1967, 110 p., (a) mop in

- 68-9 Gibson, W. M., and Wollenberg, H. A., 1968, Investigations for ground stability in the vicinity of the Coloveros foult, Livermore and Amador Valleys, Alamedo County, Colifornia: Geol. Soc. America Bull., v. 79, no. 5, p. 627–638, fig. 1, 1:202,000.
- 68-21 Himmelberg, G. R., and Coleman, R. G., 1968, Chemistry of primary minerals and racks from the Red Mountain-Del Puerto ultramofic moss, Colifornia: U. S. Geol. Survey, Prof. Poper 600C, p. 18–26, fig. 1, 1:101.000.
- 68-24 Johnson, A. I., Moston, R. P., and Morris, D. A., 1968, Physical and hydrologic properties of waterbearing deposits in subsiding areas in central Colifornia: U. S. Geol. Survey, Prof. Paper 497-A, 71 p., fig. 6, 1:316, 800.

Meode, R. H., 1968, Petrology of sediments underlying oreos of lond subsidence in central Colifornia: U.

- Geol. Survey, Prof. poper 497-C, 83 p., fig. 14, 1:633,600.
   Cummings, J. C., 1968. The Sonto Cloro Formotion and possible post-Pliocene slip on the Son Andreos fout in central California: Standard University Publications in Geol. Sciences, v. XI, Proceedings of conference on geologic problems of Son Andreos ference on geologic problems of Son Andreos four system, p. 191-207, fig. 4, 1:300,000.
- 68-58 Rodbruch, D. H., 1968, Mop showing recently octive breoks along the Hoyword foult zone and the southern port of the Coloveros foult zone, Colifornia: U. S. Geol. Survey, Open File mop, 1:24,000 (2 sheets). On file: USGS (MP, SF); CDMG (SF, LA).



91-99				
Califarnia Dept. Water Resaurces, 1968, Geadimeter	fault mavement investigation in California: Bull. 116-	6, (d) fig. 14, (e) fig. 17, (f) fig. 22. (Faults anly,	same data as an map in Bull. 116-2, but an nan-	Laser Laser
5				

64-

Valley, Califarnia: U. S. Geal. Survey, Praf. Paper 525-D, p. D106-D111, (a) fig. 2, 1:504,000 (2 units mapped), (b) fig. 3, 1:31,500. displacement alang a fault in the sauthern Salinas Durham, D. L., 1965, Evidence af large strike-slip 65-18

Crawell, J. C., 1968, The Califarnia Caast Ranges: Univ. of Missauri at Ralla, Jaur. na. 1, Callaquium Series 1 (April), p. 133–156, (a) fig. 6, 1:790,000

liams Hill quadrangles, Manterey Caunty, California: U. S. Geal. Survey, Bull. 1181-Q, 27 p., (a) pl. 1, Durham, D. L., 1965, Gealagy of the Jalan and Wil-1:24,000, (b) pl. 2, 1:24,000. 65-23

Wunpast, and Valletan quadrangles, Manterey, Caunty, Califarnia: U. S. Geal. Survey, Bull. 1221-B, 53 p., (a) pl. 1, 1:24,000, (b) pl. 2, 1:24,000, (c) pl. 3, 1:24,000. Durham, D. L., 1966, Gealagy of the Hames Valley,

6-99

Page, B. M., 1966, Gealagy of Narthern California, "Gealagy of the Caast Ranges of California": California Div. Mines and Geal., Bull. 190, p. 255–276, 66-22

Dickinsan, W. R., 1966, Table Mauntain serpentinite extrusian in Califarnia Caast Ranges: Geal. Sac.

Miller, G. A., and Evensan, R. E., 1966, Utilizatian af graund water in the Santa Maria Valley area, Cali-

farnia: U. S. Geal. Survey, Water-Supply Paper 1819-A, 24 p., pl. 1, 1:101,000.

America Bull., v. 77, na. 5, p. 451–472, (a) pl. 1, 1:24,000, (b) fig. 2, 1:1,000,000, (c) fig. 6, 1:38, 750, (d) fig. 7, 1:36,115, (e) fig. 8, 1:36,115, (f)

fig. 9, 1:59,000.

67-34

Brawn, D. B., Jr., Vedder, J. G., Wallace, R. E., Rath, E. F., Yerkes, R. F., Castle, R. O., Waananen, A. O., Page, R. W., and Eatan, J. P., 1967, The Parkfield-Chalame Califarnia, earthquakes af June-August 1966—surface gealagic aspects, and preliminary seismic data: U. S. Geal. Survey, Praf. Paper 579, 66 p., fig. 3, 1:125,000.

fig. 8, 1:167,150.

Camptan, R. R., 1966, Gealagy af Narthern Cali-

66-24

farnia, "Granitic and metamarphic racks of the Salinian Black, California Coast Ranges": California Hart, E. W., 1966, Mines and mineral resaurces af Div. Mines and Geal., Bull., 190, p. 277–287, (a) fig. 4, 1:143,750, (b) fig. 8, 1:101,000.

Manterey Caunty, California: California Div. Mines and Geal., Caunty Rept. 5, 142 p., (a) pl. 1, 1:250,-Survey, Open File Rept., (a) Bradley quad. 1:24,000. (b) Tierra Redanda Mauntain quad. 1:24,000. Durham, D. L., 1966, Gealagic maps of Bradley and Tierra Redanda Mauntain quadrangles, Manterey and San Luis Obispa Caunties, Califarnia: U. S. Geal. 66-37 66-26


On file: USGS (DC, Den, MP, SF, 800 Truxtun Ave.,

Bakersfield); CDMG (SF).

Califarnia: Geal. Sac. America Bull., v. 79, na. 5, p. 527–544, fig. 2, 1:56,500 (4 graups af undifferen-Burch, S. H., 1968, Tectanic emplacement of the Burra Mauntain ultramafic bady, Santa Lucia Range, tiated racks) 8-89

Smith, S. W., and Wyss, M., 1968, Displacement an the San Andreas fault subsequent ta the 1966 Park-field earthquake: Bull. af the Seismalagical Sac. af Amer., v. 58, na. 6, p. 1955-1973, fig. 2, 1:550,000 (fault break). 68-40

ing recently active breaks along the San Andreas and related faults between Chalame Valley and Tejan Vedder, J. G., and Wallace, R. E., 1968, Map shaw-Pass, Califarnia: U. S. Geal. Survey, Open File map, 1:24,000 (2 sheets). On file: USGS (DC, Den, MP, SF, LA); CDMG (LA, SF). 98-60



cene foraminifera and stratigraphic relations in the Smith, P. B., and Durham, D. L., 1968, Middle Mia-Adelaida quadrangle San Luís Óbispa County, Cali-farnia: U. S. Geol. Survey, Bull. 1271-A, 14 p., fig. 2, 1:112,500.

tle Mountain Range, Colifarnia: Geal. Sac. America Bull., v. 77, na. 7, p. 707–726, (a) pl. 1, 1:250,000, (b) fig. 2, 1:47,500, (c) fig. 3, 1:72,000, (d) fig. 4, 1:91,000, (e) pl. 2, 1:47,500

Holl, C. A., Jr., and Carbata, C. E., 1967, Stratigra-phy and structure of Mesazaic and Cenazaic rocks, Nipama quodrangle, sauthern Caast Ranges, Califarnia: Geol. Sac. America Bull., v. 78, p. 559—582,

67-42

Dickinson, W. R., 1966, Structural relationships of San Andreas fault system, Chalame Valley ond Cas-

66-52

and stratigraphic relations along the Nacimiento fault in the sauthern Santa Lucia Range and San Vedder, J. G., and Brawn, R. D., Jr., 1968, Structural Rafael Mauntains, California: Stanford University Publications in Geal. Sciences v. XI, Praceedings of canference an gealagic prablems of Son Andreas fault system, p. 242–259, (a) fig. 2, 1:336,000, (b) fig. 3, 1:336,000. 68-30

Dibblee, T. W., Jr., 1968, Regianal geologic mop af San Andreas fault fram Cholame area ta Cuyama-Caunties, Califarnia: U. S. Geal. Survey, Open File map, 1:125,000. On file: USGS (MP, SF); CDMG Maricapa area, San Luis Obispo, Kern, and Kings (SF, LA). 68-57

cent San Andreas fault: Guidebaak far the jaint annual field trip, Octaber 20–21, 1967, 110 p., (a) map in pocket, 1:125,000.

and Sac. Ecan. Poleontalogists and Mineralogists (Pacific Section), 1967, Gabilan Range and adja-

Am. Assac. Petraleum Gealagists (Pacific Sectian)

67-75

pl. 1, 1:48,000.


Brown, R. D., Jr., 1968, Map shawing recently active breaks along the San Andreas and related faults Valley, Californio: U. S. Geal. Survey, Open File between the narthern Gabilan Range and Chalame map, 1:62,500. On file: USGS (DC, Den, SF, MP); CDMG (SF, LA). 68-59

> 1968, Gealagy and ailfields—west side sauthern San meeting of Pacific Sections of AAPG, SEG, and

SEPM, March 28—30, Bakersfield, Califarnia, 144 p., (o) map in packet, 1:125,000.

and Pacific Sections of Sac. Exploration Geaphysicists, Sac. Ecan. Paleantolagists and Mineralagists, Jaaquin Volley: 1968 Guideboak far 43rd annual

Am. Assac. Petraleum Gealogists (Pacific Section)




Sabins, F. F., Jr., 1967, Gealogic aspects af infrared 66-42 imagery, India Hills, Californio: Stanfard Univ. Gealogic Remate Sensing Shart Cause, Dec. 4–8, 1967, p. 5c1–21, fig. 1, 1:143,750 (generalized central 66-47)

- 64-45 Califarnio Dept. Water Resaurces, 1968, Geadimeter fault mavement investigotians in California. Bull. 116-6, (h) fig. 27, (j) fig. 29, 1:500,000. (Faults anly, some data as on map in Bull. 116-2, but an nan-contaured base.)
- 65-6 Simpsan, D. R., 1965, Gealagy of the central part of the Romana pegmatite district, San Diega Caunty, Colifornia: California Div. Mines and Geal., Spec. Rept. 86, p. 3–23, (a) fig. 1, 1:60,000, (b) fig. 2, 1:9,000, (c) fig. 4, 1:275, (d) fig. 5, 1:150.
- 65-15 Yerkes, R. F., McCullah, T. H., Schaellhamer, J. E., and Yedder, J. G., 1965, Gealagy of the Las Angeles bosin, Californio—an intraduction: U. S. Geal. Survey, Praf. Paper 420-A, 57 p., (a) fig. 2, 1:504,000 (faults anly), (b) fig. 3, 1:504,000 (faults anly), (c) fig. 5, 1:529,200 (basement racks), (d) fig. 6, 1:504,000 (Upper Cretoceaus), (e) fig. 7, 1:504,000 (Lower Miacene), (g) fig. 9, 1:504,000 (Middle Miacene), (h) fig. 10, 1:504,000 (Upper Miacene), (j) fig. 11, 1:504,000 (Upper Miacene), (j) fig. 11, 1:504,000 (Upper Miacene), (k) fig. 10, 1:504,000 (Upper Miacene), (k) fig. 11, 1:504,000 (Upper Miacene), (k) fig. 14, 1504,000 (Upper Miacene)
- 65-54 Colifarnia Dept. Water Resaurces, 1965, Water well standards, Central, Hallywaad, Santa Manica basins, Las Angeles Caunty: Bull. 74-4, pl. 2, 1:119,700.
- 65-69 Colifarnia Dept. Water Resaurces, 1965, Santa Ana Gap solinity barrier: Bull. 147-1 (preliminary editian), pl. 4A, 1:24,000.
- 65-76 Califarnia State Water Quality Cantral Board, 1965, An acconagraphic and bialagical survey at the southern Colifarnia mainland shelf: Publication no. 27, 231 p., (c) fig. 44, 1346,000, (d) fig. 4.5, 1:675,000. (Sediment types anly.)
- 66-32 Ragers, T. H., 1966, Santa Ana Sheet: California Div. Mines and Geal., Geal. Atlas of California, Mop 1:250,000.
- 66-39 Schworcz, H. P., 1966, Chemicol and minerolagic variations in an arkosic quortzite during pragressive regional metamorphism: Geal. Sac. America Bull., v. 77, na. 5, p. 509-532, fig. 1, 1:125,000.

- -42 Axelrad, D. I., 1966, The Pleistocene Sababa flara af Southern Colifarnio: Colifarnia Univ. Pubs. Geal. Sci., v. 60, 109 p., Mop 1, 1:143,750.
- -47 California Dept. Water Resources, 1966, Planned utilization of ground water basins, San Gabriel Valley: Bull. 104-2, pl. 90, 1:125,000.
- 66-53 Califarnia Dept. Woter Resaurces, 1966, Graund woter basin pratectian prajects Santo Ana gap solinity barrier, Orange Caunty: Bull. 147-1, pl. 4a, 1:24,000.
- 66-59 Maore, R. F., 1966, Faundatian engineering and the engineering gealogist: Engineering Geal. of Sa. California, a special pub. of the Assac. of Eng. Gealogists, Las Angeles Sectian, p. 327–344, map in packet, 1:250,000 (sail and bedrack distributian, 6 types).
- 67-7 Fife, D. L., Minch, J. A., Cramptan, P. J., 1967, Late Jurassic age of the Santiago Peak valcanics, California: Geal. Soc. America Bull. v. 78, no. 2, p. 299–304, fig. 2, 1:250,000.
- 67-8 Califarnia Dept. Water Resaurces, 1967, Graund water accurrence and quality, San Diega regian: Bull. 106-2, v. 2, (a) pl. 2A, 1:143,750, (b) pl. 2B, 1:143,750.
- 67-19 Canrey, B. L., 1967, Eorly Pliacene sedimentary histary at the Las Angeles basin, California: California Div. Mines and Geal., Spec. Rept. 93, 63 p., fig. 3, 1:250,000.
- 67-40 Cleveland, G. B., 1967, Why landslides?: California Div. Mines and Geal., Minerol Inf. Service, v. 20, na. 9, p. 115–117, 120, p. 116, 1:18,000.
- 67-44 Baird, A. K., McIntyre, D. B., Welday, E. E., and Martan, D. M., 1967, A test of chemical variability and field sampling methods, Lokeview Mauntain tranalire, Lalkeview Mountains, sauthern California Bothalith: California Div. Mines and Geal., Spec. Rept. 92, p. 11–19, fig. 2, 1:77,500.
- 67-73 Kennedy, M. P., 1967, Engineering gealagy (preliminary) of the City of Son Diega, California: California Div. Mines and Geal, in caap. with City of San Diega, Open File map, 1:24,000, (a) pl. 1, Del Mar quad. (W/½), Escandido quad. (SW/¼), Poway Valley quad. (IWW/¾). On filee CDMG (LA, SF, Soc, San Diega City Engineer's office far reprints).

- 67-74 Kennedy, M. P., 1967, Preliminary geolagic mop af o partian of NE San Diega City, California (detailed area 1 of 5): Colifornia Div. Mines and Geol. in caop. with City of San Diega, Open File map, 1:9,, 600. On file: CDMG (LA, SF, San Diega City Engineer's affice for reprints).
- 67-79 Sharp, R. V., 1967, San Jacinta fault zone in the Peninsular Ronges of sauthern California: Geol. Sac. America Bull. v. 78, na. 6, p. 705–729, (a) pl. 1, 1:62,500, (b) fig. 5, 1:50,000.
- 68-31 Dibblee, T. W., Jr., 1968, Displocements an the San Andreas fault system in the San Gobriel, San Bernordina, and San Jacinta Mountains, southern California: Stanfard University Publications in Geal. Sciences, v. XI, Praceedings at canference on gealogic problems of San Andreas foult system, p. 260–278 (d) fig. 3, 1:633,600, (e) fig. 4, 1:500,000.
- 68-41 Allen, C. R., Grantz, A., Brune, J. N., Clark, M. M., Sharp, R. V., Theadore, T. G., Walfe, E. W., and Wyss, M., 1968, The Barrega Mauntain, California, earthquake of 9 April, 1968, A preliminary report. Bull. af the Seismalagical Soc. af Amer., v. 58, na. 3, p. 1183–1186, fig. 1, 1:50,000 (fault trace).
- 68-44 Martan, P. K., 1968, Preliminary gealagic mop af the SW/4 af the Cañoda Gobernadara quad., Orange Caunty, Califarnia Colifarnia Div. Mines and Geal. in caap. with Orange Caunty, Open File mop, 1:9,600. On file: CDMG (LA, SF, Sac).
- 68-53 Califarnia Dept. Water Resaurces, 1968, Water wells and springs in Barrega, Corriza, and San Felipe Valley area, San Diega and Imperial Counties, Califarnia: Bull. 91-15, (a) fig. 2, 1:62,500, (b) fig. 3, 1:62,500. (Campiled by W. R. Mayle, Jr.)
- 68-56 Blanc, R. P., and Clevelond, G. B., 1968, Natural slape stability as related ta gealogy, Son Clemente areo, Orange and Son Diega Counties, California: California Div. Mines and Geal., Spec. Rept. 98, 19, p., (a) pl. 1, 1:20,000 (2 maps, gealogic and slope stability), (b) fig. 3, 1:75,000 (faults), (c) fig. 4, 1:78,000.



Burnett, J. L., 1965, Exponsible shole resources of the Son Jose-Gilroy oreo, Colifornio: Colifornio Div. Mines and Geol., Spec. Rept. 87, 32 p., pl. 1, 1:126, 62-9

Colifornio Div. Mines and Geology, 1968, Geology erol Inf. Service, v. 21, no. 8, p. 117-124, p. 120, 1:62,500 (text from N.E.A. Hinds, 1952, mop from

36-3

ond rood log of Pinnocles Notional Monument: Min-

Enos, Poul, 1965, Geology of the western Vollecitos syncline, Son Benito County, Colifornio: Colifornio Div. Mines and Geol., Map Sheet 5, 1:31,680. 65-13

> Ookeshott, G. B., 1966, Geology of Northern Colifornio, "Son Andreos foult in the Colifornio Coost Ronges Province": Colifornio Div. Mines and Geal.,

46-10

Philip Andrews, 1936).

Durhom, D. L., 1965, Evidence of lorge strike-slip displocement olong o foult in the southern Solinos Volley, Colifornio: U. S. Geol. Survey, Prof. Poper 525D, p. D106-D111, (a) fig. 2, 1:504,000 (2 units 65-18

Hort, E. W., 1966, Mines and mineral resources of Monterey County, Colifornio: Colifornio Div. Mines

59-27

Bull. 190, p. 357-373, (o) fig. 5, 1:167,150.

ond Geol., County Rept. 5, 142 p., fig. 4, 1:6,750

(doto simplified)

Botemon, P. C., and Wohrhoftig, Clyde, 1966, Gealogy of Northern Colifornio, "Geology of the Sierro Nevodo": Colifornio Div. Mines and Geol., Bull. 190,

63-23

- Crowell, J. C., 1968, The Colifornio Coost Ronges: Univ. of Missouri ot Rollo, Jour. no. 1, Colloquium Series 1 (April), p. 133-156, (o) fig. 6, 1:790,000.
- Ernst, W. G., 1965, Minerol porogeneses in Fronciscon metomorphic rocks, Ponoche Poss, Colifornio: Geol. Soc. Americo Bull., v. 76, no. 8, p. 879–914, pl. 1, 1:18,900. 65-36
- International Association for Quaternary Research (INQUA), 1965, Guidebook for field conference I, northern Greot Bosin and Colifornia: VIIth Congress, Aug.—Sept. 1965, (g) fig. 8-3, 1:478,800 (sketch mop), (r) fig. 13-1, 1:126,000 (morine terroces). 65-44

foult movement investigations in Colifornio: Bull. 116-6, (a) fig. 7, (b) fig. 9, (c) fig. 11, (d) fig. 14, (e) fig. 17. (Foults only, some doto as an map in

(e) fig. 17. (Foults only, some doto os Bull. 116-2, but on non-contoured bose.)

Colifornio Dept. Woter Resources, 1968, Geodimeter

64-45

p. 107-172, fig. 1, 1:1,000,000.


Dickinson, W. R., 1965, Tertiory strotigrophy of the Church Creek oreo, Monterey County, Colifornia: Colifornia Div. Mines and Geol., Spec. Rept. 86, p.

65-7

25-44, fig. 2, 1:26,000.

- cury, jodeite, and asbestas regions near Ponache Poss, Colifornia: Field Trip Guidebook, 61st annual Geol. Soc. Americo, Cordilleron Section, 1965, Mermeeting, April 15, 1965, 10 p., (o) fig. 1, 1:134,200, (b) mop in pocket, 1:7,200 (inset) 65-49
- Ookeshott, G. B., 1965, Son Andreos foult: Predominont loterol or vertical displacement: Selected popers, Son Jooquin Geologicol Soc., v. 3, p. 4–18, 1 fig. 5, 1:81,900 (ofter 46-10). 65-50
- Bowen, O. E., 1965, Strotigrophy, structure ond oil possibilities in Monterey ond Solinas quodrongles, Colifornio: A symposium of popers presented ot the 40th onnuol Pocific Section A.A.P.G. convention, 1965, p. 48-67, fig. 2, 1:100,800. 65-51
- Compton, R. R., 1966, Geology of northern Colifornio, "Gronitic and metomorphic rocks of the Andreos foult in centrol and northern Colifornia": Colifornia Div. Mines and Geal., Bull. 190, p. 375–384, (d) fig. 4, 1:77,500. Solinion Block, Colifornio Coost Ronges": Colifornio Div. Mines and Geal., Bull., 190, p. 277–287, (a) fig. 4, 1:143,750, (b) fig. 8, 1:101,000. fornio, "Evidence for cumulative offset on the San Dibblee, T. W., Jr., 1966, Geology of northern Cali-66-24 66-25





67-52 Lea, G. W., 1967, The plutanic and metamarphic racks of the Ben Lomand Mauntain area, Santa Cruz Caunty, California: California Div. Mines and Geal., Spec. Rept. 91, p. 27–43, Map, 1:62,500.

Manterey Caunty, California California Div. Mines and Geal., Caunty Rept. 5, 142 p., (a) pl. 1, 1:250, 000, (c) fig. 6, 1:112,000 (data after R. M. Weidman, 1968, pl. 1A, unpublished PhD thesis), (d) fig. 12, 1:21,120 (after M. E. Maddack, 1960, unpublished repart), (e) fig. 14, 1:50,000 (shaws peat depasits anly), (f) fig. 16, 1:36,115 (shaws recent

Hart, E. W., 1966, Mines and mineral resaurces af

99-59

- 67-60 Akers, J. P., and Hickey, J. J., 1967, Geahydralagic recannaissance of the Saquel-Aptas area, Santa Cruz Caunty, California: U. S. Geol. Survey, Open File Rept., 58 p. fig. 1, 1:48,000. On file: USGS (DC, MP SF 1A)
- 67-61 Akers, J. P., 1967, The geahydralagy af Pinnacles National Manument California: U. S. Geal. Survey, Open File Rept., 14 p., fig. 2, 1:31,680. On file: USGS (DC, LA, MP, SF).

extrusian in Califarnia Caast Ranges: Geal. Sac. America Bull., v. 77, na 5, p. 451–472, (b) fig. 2,

1:1,000,000.

66-44

Dickinsan, W. R., 1966, Table Mauntain serpentinite

96-38

sond dune depasits anly).

Califarnia Dept. Water Resaurces, 1966, Madera area investigatian: Bull. 135, pl. 9, 1:1,250,000

(campiled fram several saurces).

67-75 Am. Assac. Petraleum Gealagists (Pocific Section) and Sac. Econ. Paleantalagists and Mineralagists (Pacific Section) 1967, Gabilan Range and adjacent San Andreas fault: Guidebaak far the jaint annual field trip, Octaber 20-21, 1967, 110 p., (a) map in packet, 1:125,000, (b) p. 46, 1:62,500, (c) p. 63, 1:125,000, (d) p. 64, 1:125,000, (e) p. 69, 1:125,000, (f) p. 71, 1:125,000, (g) p. 83, 1:24,000.

tle Mauntain Range, Califarnia: Geal. Sac. America

Bull., v. 77, na. 7, p. 707-726, (a) pl. 1, 1:250,000.

San Andreas fault system, Chalame Valley and Cas-

Dickinsan, W. R., 1966, Structural relationships af

66-52

Manterey Canyan, Califarnia: Assac. Petraleum Geolagists Bull., v. 51, na. 11, p. 2281–2304, (a) fig. 4, 1:336,000, (b) fig. 5, 1:1,000,000.

Pearsan, R. C., and Hayes, P. T., 1967, Mineral resources of the Ventana Primitive Area, Manterey

67-30

Caunty, Califarnia: U. S. Geal. Survey, Bull. 1261-B,


42 p., pl. 1, 1:62,500.

Martin, B. D., and Emery, K. O., 1967, Gealagy af

67-2

68-25 Meade, R. H., 1968, Petralagy af sediments underlying areas af land subsidence in central Califarnia: U. S. Geal. Survey, Praf. Paper 497-C, 83 p., fig.14,

- 68-40 Smith, S. W., and Wyss, M., 1968, Displacement an the San Andreas fault subsequent ta the 1966 Parkfield earthquoke: Bull. of the Seismalagical Sac. of Amer., v. 58, na. 6, p. 1955–1973, fig. 2, 1:550,000 (fault break).
- 68-47 Ragers, T. H., Nasan, R. D., and Caaper, A. K., 1968, Preliminary map shawing traces of the Colaveras fault zane within the City of Hallister, San Benito Caunty, California California Div. Mines and Geol. in caap. with ESSA, Open File map, 1:6,000. On file: CDMG (LA, SF, Sac).
- 68-57 Dibblee, T. W., Jr., 1968, Regianal geolagic mop af San Andreas fault fram Chalame area ta Cuyama-Maricapa area, San Luis Obispo, Kern, and Kings Caunties, Califarnia: U. S. Geal. Survey, Open File map, 1:125,000. On file: USGS (MP, SF); CDMG (SF, LA).
- 68-58 Radbruch, D. H., 1968, Map shawing recently active breaks along the Hayward fault zane and the sauthen part of the Calaveras fault zone, Califarnia: U. S. Geal. Survey, Open file map, 1:24,000 (2 sheets). On file: USGS (MP, SF); CDMG (SF, LA).
- 68-59 Brawn, R. D., Jr., 1968, Map shawing recently active breoks along the San Andreas and related faults between the narthern Gabilan Range and Chalame Valley, California: U. S. Geal. Survey, Open File map, 1:62,500. On file: USGS (DC, Den, LA, SF, MP); CDMG (SF, LA).



Miller, G. A., and Evensan, R. E., 1966, Utilization of graund water in the Santa Maria Valley area, Califarnia: U. S. Geal. Survey, Water-Supply Paper 1819-A, 24 p., pl. 1, 1:101,000. 91-99

Evensan, R. E., 1965, Suitability af irrigatian water sub area af the Santa Ynez River basin, Santa Bar-

47-9

and changes in graund-water quality in the Lampac baro Caunty, Califarnia: U. S. Geal. Survey, Water Colifarnia Dept. Water Resaurces, 1968, Geadimeter fault mavement investigations in California: Bull. 116-6, (e) fig. 17, (f) fig. 22, (Faults anly, same data as an map in Bull. 116-2, but an nan-cantaured

64-45

Supply Paper 1809-S, 20 p., pl. 1, 1:48,000.

- Califarnia Div. Mines and Geal., Bull. 190, p. 375–384, (e) fig. 5, 1:1,000,000, (f) fig. 6, 1:1,000,000. farnia, "Evidence far cumulative affset an the San Andreas fault in central and narthern Califarnia": Dibblee, T. W., Jr., 1966, Gealagy of narthern Cali-66-25
- Rabsan, S. G., and Giessner, F. W., 1966, Pragress repart an investigation of the water resources of the Santa Barbara Caunty, California: Ú. S. Geal. Survey, Open File Rept., 21 p., fig. 2, 1:36,115. On file: narth Vandenberg area, Vandenberg Air Farce Base, USGS (DC, MP, Garden Grave). 66-35

1965, Western Santa Ynez Mauntains, Santa Barbara Caunty, Califarnia: Guidebaok, Field Trip, Oct.

Caast Gealagical Saciety, Pacific Section, S.E.P.M.,

65-45

base.)

Lampac subarea, Santa Ynez River Basin, Santa Barbara Caunty, California, 1957–62: U. S. Geal. Survey, Open File Rept., 27 p., fig. 3, 1:48,000. General uncansalidated marine and cantinental mapped.) On file: USGS (DC, MP, 126 W. Figueraa St., Santo Barbara). Evensan, R. E., 1966, Hydralagic inventary af the depasits and undifferentiated cansalidoted racks 66-36

Dailey, D. H., and Papenae, W. P., 1966, Mallusca fram the upper Cretaceaus Jalama Farmatian, Santa

66-14

Barbora Caunty, Califarnia: Univ. af California Publications in Gealagical Sciences, v. 65, 41 p., (a) fig.

1, 1:45,000, (b) fig. A, 1:42,000 (inset map).

An aceonographic and bialogical survey of the sauth-ern Califarnio mainland shelf: Publicatian na. 27, 231


p., (a) fig. 4.2, 1:405,000. (Sediment types only.)

Califarnia State Water Quality Cantral Baard, 1965,

92-59

16, 1965, 47 p., 1:81,850 (in packet).

- Stauffer, P. H., 1967, Sedimentalagic evidence an Eacene carrelations, Santa Ynez Mauntains, Colifarnia: Am. Assac. Petraleum Gealagists Bull., v. 51 na. 4, p. 607-611, fig. 1, 1:500,000 67.1
- Vedder, J. G., Gawer, H. D., Cliftan, H. E., and Durham, D. L., 1967, Recannaissance gealogic map of the central San Rafael Mauntains and vicinity, Santa Barbara Caunty, California: U.S. Geal. Survey, Misc. Geal. Inv. Map I-487, 1:48,000. 67-35
- and stratigraphic relations along the Nocimienta fault in the southern Sonta Lucia Range and Son Vedder, J. G., and Brawn, R. D., Jr., 1968, Structural Rafael Mountains, Califarnia: Stanfard University Publications in Geal. Sciences v. XI, Praceedings of canference an gealagic prablems af San Andreas fault system, p. 242–259, (b) fig. 3, 1:336,000. 68-30
- Dibblee, T. W., Jr., 1968, Regianal gealogic map of Maricapa area, San Luis Obispa, Kern, and Kings Caunties, Califarnia: U.S. Geal. Survey, Open File map, 1:125,000. On file: USGS (MP, SF); CDMG San Andreas foult fram Chalome area ta Cuyoma 68-57



Goldman, H. B., 1967, Geology of San Francisco

Bay: California Div. Mines and Geol. (prepared far San Francisco Bay Conservation and Development

#### BIBLIOGRAPHY

nent magnetization of spilite and diabase in the Franciscan Formation, western Marin County, California: Gromme, C. S., and Gluskoter, H. J., 1965, Rema-Jour. Geology, v. 73, no. 1, p. 74-94, fig. 1, 1:113,-8 65-40

Emersan, D. O., and Rich, E. I., 1966, Geology of northern California, "Field trip Sacramento Valley and northern Coast Ranges": California Div. Mines

40-22

Oakeshott, G. B., 1966, Geology of northern California, "Son Andreas fault in the California Caast

43-42

and Geal., Bull. 190 p. 473-485, fig. 4, 1:6,336.

Ranges Province": California Div. Mines and Geol., Bull. 190, p. 357–373, fig. 1, 1:50,000.

- Putah Creek basin investigation, Dry Creek project: California Dept. Water Resources, 1965, Upper Bull. 99-1, (a) pl. E-1, 1:2,400, (b) pl. E-2, 1:12,000. 65-59
- California Dept. Water Resaurces, 1965, North coastal area investigation: Bull. 136, Appendix E, Engineering Geology, v. 1, Upper Eel River development, 169 p., (jj) pl. 21, 1:36,000. 65-70

and Little Lake Valleys, Sonoma and Mendocino counties, California: U. S. Geol. Survey, Water-Supply Paper 1548, 154 p., (a) pl. 1, 1:62,500, (b) pl. 2, 1:62,500.

Galloway, A. J., 1966, Geology af northern California, "Field trip Point Reyes Peninsula and San Andreas fault zone": California Div. Mines and

62-17

Cardwell, G. T., 1965, Gealogy and graund-water in

61-7

Russian River valley areas, and in Round, Laytonville,

- California Div. Mines and Geology, 1966, Gravity map of Geysers area: California Div. Mines and Geol., Mineral Inf. Service, v. 19, no. 9, p. 133–156, ig. 1, 1:250,000. 66-33
- Chapman, R. H., and McNitt, J. R., 1966, Bouguer gravity map shawing generalized geology of Clear California: California Div. Mines and Geol., Open File Rept., Map, 1:250,000. On file: CDMG (SF). Lake area, Mendocino, Sanoma and Lake Counties,

116-6, (a) fig. 7, (Faults only, same data as on map in Bull. 116-2, but on non-contoured base.)


California Dept. Water Resaurces, 1968, Geodimeter

64-45


Geol., Bull. 190, p. 429-440, fig. 1, 1:250,000

fault movement investigations in California: Bull.

- rium beaches north of San Francisco: Jour. Sed. Petrology, v. 36, no. 2, p. 341–357, fig. 6, 1:250,000. Cherry, J. A., 1966, Sand movement along equilib-(Madified after Galloway, A. J., 1962.) 66-43
- transport in Cache Creek drainoge basin in the Coast Ranges west of Sacramento, California: U. S. Geol. Survey, Prof. Paper 562-A, 36 p., pl. 1, 1:250,000 Lustig, L. K., and Busch, R. D., 1967, Sediment (campiled from various other sources) 67-48
- Goldman, H. B., 1967, Salt, sand and shells—mineral resources of San Francisco Bay: California Div. Mines and Geol. (prepared for San Francisco Bay Conservation and Development Commission), 28 p., fig. 1, 1:336,000 (scattered salt, sand and shell deposits). 99-29 29-29
- the San Andreas fault, sauthwestern Marin County, California: U. S. Geol. Survey, Open File map, 1:24,-Brawn, R. D., Jr., 1967, Most conspicuous strands of 000. On file: USGS (DC, Den, MP, SF, LA); CDMG (SF, LA). Commission), 62 p., fig. 1, 1:500,000. 67-77
- rangle, Sonoma, Lake, and Mendocino Counties, California: California Div. Mines ond Geol., Map McNitt, J. R., 1968, Gealogy of the Kelseyville quad-Sheet 9, 1:62,500. 68-4



- 65-30 Macdonald, G. A., 1965, Geolagic mop of the Horvey Mountoin quadrongle, Lossen County, Colifornio: U. S. Geol. Survey, Geol. Quod. Mop. GQ-443, 1:62,500.
- 66-19 Jomes, D. E., 1966, Geology and rock magnetism of cinder cone love flows, Lossen Volconic Notional Pork, California: Geol. Soc. America Bull., v. 77, no. 3, p. 303–312, fig. 1, 1:42,000.
- 67-76 Chopmon, Peter, and Quode, Jack, 1967, Ground truth measurements: Stanford Univ. Geologic Remote Sensing Short Course, Dec. 4–8, 1967, p. 7-1 to 7-49, Map, 1:12,000.
- 67-78 Durrell, Cardell, 1967, Geology af the Feother River country and odjocent regions (Colifornio): Colifornio Div. Mines and Geol., Open File Rept., 57 p., (a) fig. 3, 1:625,000 (Lavejoy Formation), (b) fig. 6, 1:625,000. On file: CDMG (S.F., L.A.).



TO OI

#### BIBLIOGRAPHY

1 Gastil, R. G., DeLisle, Mark, and Margan, J. R., 1967,	Some effects of pragressive metomorphism on zir-	cons: Geal. Soc. Americo Bull., v. 78, p. 879–906, fia	
67-41 G	S	ŏ	_

Zbur, R. T., 1963, A geophysical investigation of Indion Wells Volley, Colifornio: U. S. Noval Ordnance Test Stotion (Noval Weopons Center) Tech. Pub.

63-62

Morton, P. K., 1965, Geology of the Queen of Shebo leod mine, Deoth Valley, California: Colifornio Div.

65-10

Mines and Geal., Spec. Rept. 88, 18 p., pl. 1, 1:

1,800.

65-26

Sheppord, R. A. ond Gude, A. J., III, 1965, Potash feldspor of possible economic volue in the Borstow

Formation, Son Bernardina County, Colifornio: U. S. Geol. Survey, Circ. 500, 7 p., fig. 1, 1:12,600 (sketch

mop).

66-34

Colifornio: U. S. Geal. Survey, Open File Rept., 24, p. fig. 3, 1:62,500. on file: USGS (DC, LA, SF, MP).

Giessner, F. W., and Westphol, J. A., 1966, Groundwoter inventory far 1965, Edwords Air Force Bose, Ver Plonck, W. E., 1966, Quartzite in Californio: Colifornio Div. Mines and Geal. Bull. 187, 58 p., (b)

66-54

fig. 2, 1:62,500.

Colifornio Dept. Woter Resources, 1967, Mojave Riv-

6-79

er ground woter basins investigation: Bull. 84, 151 p.,

pl. 2, 1:143,750.

2795, Chino Loke, Colifornia, 98 p., pl. 1, 1:125,000.

67-46 Traxel, B. W., 1967, Sedimentory rocks of lote Pre-	combrion and Combrian age in the sauthern Salt	Spring Hills, southeostern Deoth Valley, Colifornio:	California Div. Mines and Geol., Spec. Rept. 92, p.	33-41, fig. 2, 1-21 120
67-46				

33–41, fig. 2, 1:21,120.  67-49 Dibblee, T. W. Jr., 1967, Areol geology of the western Majove Desert, Californio: U. S. Geol. Survey, Prof. Poper 522, 153 p., (o) pl. 1, 1:125,000, (b) fig. 3, 1:62,500, (f) fig. 10, 1:47,500, (p) fig. 21, 1:47,500, (ii) fig. 44, 1:47,500, (ji) fig. 45, 1:62,500, (mm) fig. 49, 1:68,000, (11) fig. 48, 1:62,500, (mm) fig. 49, 1:68,000, (pp) fig. 53, 1:68,000 (ap) fig. 54, 1:42,500, (rr) fig. 55, 1:45,000, (ss) fig. 56, 1:68,000, (t) fig. 57, 1:62,500, (rg) fig. 57, 1:62,500, (rg) fig. 57, 1:62,500, (rg) fig. 63, 1:62,500, (rg) fig. 63, 1:62,500, (rg) fig. 63, 1:62,500, (rg) fig. 63, 1:62,500, (rg) fig. 64, 1:62,500,	33–41, fig. 2, 1:21,120.  Dibblee, T. W., Jr., 1967, Areal geology of the westman Aojove Desert, Californio: U. S. Geol. Survey, Prof. Poper 522, 153 p., (o) pl. 1, 1:125,000, (b) fig. 3, 1:62,500, (f) fig. 10, 1:47,500, (g) fig. 21, 1:47,500, (g) fig. 44, 1:68,000, (g) fig. 48, 1:62,500, (mm) fig. 46, 1:68,000, (11) fig. 48, 1:62,500, (mm) fig. 49, 1:68,000, (pp) fig. 53, 1:68,000 (aq) fig. 54, 1:42,500, (r) fig. 55, 1:45,000, (ss) fig. 56, 1:68,000, (r) fig. 55, 1:62,000, (r) fig. 57, 1:62,000, (r) fig. 56, 1:68,000, (r)
(bbb) fig. 67, 1:62,500, (ccc) fig. 68, 1:62	oo, 1:08,000, 3, 1:62,500.

5, 1:125,000 (undiff. consolidated rocks and more detoiled unconsolidated stream, playo, and fon deposits). On file: USGS (DC, MP, SF, LA, Garden Bloyd, R. M., Jr., 1967, Woter resources of the Antelope Valley-Eost Kern woter agency oreo, Colifornio: U. S. Geol. Survey, Open File Rept., 73 p., fig. 67-62

ond springs in Sodo, Silver, and Cranise Valleys, Son Bernardino County, Colifornio: Bull. 91-13, fig. 2,

Colifornia Dept. Water Resources, 1967, Water wells

67-12


Smith, G. I., Pleistocene geology and polynology,

99-29

68-3
00

Smith, G. I., Troxel, B. W., Gray, C. H., Jr., and van Huene, Roland, 1968, Geologic reconnaissance of the Slote Ronge, Son Bernordino and Inyo Counties, Colifornia: Colifornia Div. Mines and Geal., Spec. Rept. 96, 33 p., (a) pl. 1, 1:62,500, (b) fig. 80, McCulloh, unpublished mop). 1:19,500. 68-55

 Wright, I. A., 1968, Tolc deposits of the southern Deoth Volley-Kingston Ronge region, Colifornio: Colifornio Div. Mines and Geol., Spec. Rept. 95, 79 p., (a) pl. 10, 116,000, (b) pl. 1b, 116,000, (d) pl. 1d, 1:14,750, (f) pl. 2b, 1:10,670, (g) pl. 2c, 1:10,670, (h) pl. 2d, 1:10,680, (i) pl. 3, 1:2,400, (i) pl. 4, 1:3,200, (k) fig. 1, 1:500,000 (approx.). 68-62



## BIBLIOGRAPHY

65-70 Califarnia Dept. Water Resaurces, 1965, Narth caastal area investigatian: Bull. 136, Appendix E, Engineering Gealogy, v. 1, Upper Eel River and v. 2, Trinity River, lawer Eel River, and Klamath River developments, 410 p., (f) pl. 29, 1:3,500, (g) pl. 30, 1:31,500, (t) pl. 46, 1:4,500, (v) pl. 3, 1:4,800, (w) pl. 4, 1:4,800, (x) pl. 5, 1:4,800, (y) pl. 6, 1:62,500, (z) pl. 7, 1:125,000, (aa) pl. 9, 1:2,400, (cc) pl. 12, 1:7,200, (dd) pl. 13, 1:7,200, (ee) pl. 14, 1:24,000, (ff) pl. 15, 1:84,000, (gg) pl. 16, 1:9,000, (hh) pl. 18, 1:4,800, (ii) pl. 20, 1:60,000.

and Little Lake Valleys, Sanama and Mendacina Caunties, Califarnia: U. S. Geal. Survey, Water-Supply Paper 1548, 154 p., (b) pl. 2, 1:62,500, (c) pl. 3, 1:62,500, (d) pl. 5, 1:62,500, (e) pl. 6, 1:62,500.

California Dept. Water Resaurces, 1965, Branscamb

62-50

praject investigation: Bull. 92, pl. 7, 1:2,400.

O'Brien, J. C., 1965, Mines and mineral resaurces af Trinity Caunty, Califarnia: Califarnia Div. Mines and

65-11

Geal., Caunty Rept. 4, pl. 2, 1:500,000.

Cardwell, G. T., 1965, Gealagy and graund-water in

61-7

Russian River Valley areas, and in Raund, Laytanville,

narthern Califarnia, "Field trip Sacramenta Valley and narthern Caast Ranges": Califarnia Div. Mines

and Geal., Bull. 190, p. 473-485, fig. 4, 1:6,336.

Emersan, D. O., and Rich, E. I., 1966, Gealagy af

40-22

- 65-79 Wells, F. G., and Hawkes, H. E., 1965, Chramite deposits of Shasto, Tehama, Trinity and Humbaldt Caunties, California California Div. Mines and Geal., Bull. 134—Chramite in California, Part 1—Klamath Mauntains, Chap. 3, (a) pl. 19, 1;500,000 (anly ultramatic racks shawn).
- 66-33 Califarnia Div. Mines and Gealagy, 1966, Gravity map of geysers area: Califarnia Div. Mines and Geal., Mineral Inf. Service, v. 19, na. 9, p. 133–156, fig. 1, 1:250,000.

Ghent, E. D., 1965, Glaucaphane schist facies metamarphism in the Black Butte area, northern

65-43

Caast Ranges, California: Am. Jaur. Sci., v. 263, na. 5, p. 385–400, fig. 1, 1:630,000.


Califarnia Dept. Water Resaurces, 1965, Upper Sacramenta River basin investigatian: Bull. 150, (g) pl.

65-63

13, 1:3,600.

Chapman, R. H., and McNitt, J. R., 1966, Bauguer gravity map shawing generalized gealagy af Clear Lake area, Mendacina, Sanama and Lake Caunties, Califarnia Div. Mines and Geal., Open File Rept., Map, 1:250,000. On file: CDMG (SF).

- 66-45 California Dept. Water Resaurces, 1966, North caastal area investigation: Bull. 136, Appendix A, Watershed management in the Eel River Basin, pl. 4, 1:500,000 (modified fram Irwin, W. P., 1960: California Div. Mines and Geal., Bull. 179).
- 67-48 Lustig, L. K., and Busch, R. D., 1967, Sediment transport in Cache Creek drainage basin the Caast Ranges west of Sacramenta, California: U. S. Geol. Survey, Praf. Paper 562-A, 36 p., pl. 1, 1:250,000 (compiled fram variaus ather saurces).
- 68-33 McNitt, J. R., 1968, Gealagy of the Lakepart quadrangle, Lake Caurty, California: California Div. Mines and Geal., Map Sheet 10, 1:62,500.
- 68-51 McNitt, J. R., 1968, Recannaissance geolagy of Clearlake Oaks 15' quadrangle, Lake and Calusa Caunties, Califarnia: Califarnia Div. Mines and Geal., Open File map, 1:62,500. On file: CDMG (LA, SF).
- 68-54 Califarnia Dept. Water Resaurces, 1968, Narth coastal area investigation, south fark Eel River study —preliminary edition: Bull. 173, (a) p. 58, 1:2,400. (c) p. 88, 1:2,400.



## BIBLIOGRAPHY


65-44 International Association for Quoternory Research (INQUA), 1965, Guidebook for field conference I, northern Great Basin and California: VIIth Congress, Aug.-Sept. 1965, (b) fig. 7-1, 1:126,000, (d) fig. 7-5, 1:277,200, (e) fig. 8-1, 1:226,800, (f) fig. 8-2, 1:118,800, (g) fig. 8-3, 1:478,800 (sketch mop).

66-21 Slemmons, D. B., 1966, Geology of northern Colifornio, "Cenozoic volconism of the central Sierro Nevodo, Colifornio": Colifornio Div. Mines and Geol., Bull. 190, p. 199-208, fig. 3, 1:1,000,000. (Shows Stanislous Formation anly.)

66-56 Geological Society of Socramento, 1966, Guidebook along the east-central front of the Sierro Nevodo field trip guidebook June 18 and 19, 1966, 76 p., (a) pl. 1, 1:200,000, (b) pl. III, 1:125,000, (g) foldout, 1:62,500.

67-71 Burnett, J. L., 1967, Preliminory geologic mop of the Loke Tohoe bosin, southern holf: Colifornio Div. Mines and Geal, Open File mop, 1:62,500. On file: CDMG (SF, LA, Soc).

68-14 Geologicol Society of Socromento, 1968, Studies in the Loke Tohoe oreo, Colifornio and Nevodo: Annuol Field Trip Guidebook for 1968, pl. 1, 1:125,000.



Lonphere, M. A., Irwin, W. P., and Hotz, P. E., 1968, Isotopic age of the Nevodan Orageny and older plutonic and metamorphic events in the Klamath Mountoins, Colifornia: Geol. Soc. Americo Bull., v.

68-11

## BIBLIOGRAPHY

65-52 Holdowoy, M. J., 1965, Bosic regional metamorphic rocks in port of the Klomoth Mountains, northern Colifornia: The Am. Mineralogist, v. 50, p. 953-977, fig. 1, 1:200,000.

Churkin, Michoel, Jr., 1965, First occurrence of groptolites in the Klomoth Mountoins, Colifornio: U. S. Geol.Survey, Prof. Poper 525-C, p. C72-C73, fig. 1,

60-52

1:55,400.

65-11

O'Brien, J. C., 1965, Mines and mineral resources of Trinity County, Colifornia: Colifornia Div. Mines and

Geol., County Rept. 4, pl. 2, 1:500,000.

Kirkemo, H., Anderson., C. A., and Creosey, S. C., 1965, Investigations of molybdenum deposits in the conterminous United Stotes: U. S. Geol. Survey, Bull.

65-24

- 65-70 Colifornio Dept. Woter Resources, 1965, North coostol oreo investigation: Bull. 136, Appendix E, Engineering Geology, v. 2, Trinity River, lower Eel River, and Klomoth River developments, 410 p., (u) pl. 48, 1:3,600.
- 65-79 Wells, F. G., and Howkes, H. E., 1965, Chromite deposits of Shasto, Tehoma, Trinity and Humboldt Counties, Colifornio: Colifornio Div. Mines and Geal., Bull. 134, Chromite in Californio, Part 1—Klamoth Mountains, Chop. 3, (a) pl. 19, 1:500,000 (anly ultramofic racks shown), (b) fig. 3, 1:125,000, (c) fig. 6, 1:19,200.
- 66-48 California Dept. Woter Resources, 1966, Woter well standards, Del Norte County: Bull. 74-3, pl. 1, 1;148,-

Colifornio: Geol. Soc. Americo Bull, v. 76, no. 8, p. 933-966, (o) pl. 1, 1:81,900, (b) fig. 1, 1:100,800.

Demirmen, F., and Harbaugh, J. W., 1965, Petrogrophy and origin of Permion McCloud limestone of northern California: Jour. of Sed. Petrology, v. 35, no.

65-41

1, p. 136-154, fig. 1, 1:289,800.

plutonism in the south centrol Klomoth Mountoins,

Dovis, G. A., Holdowoy, M. J., Lipmon, P. W. and Romey, W. D., 1965, Structure, metomorphism, and

65-37

1182-E, 90 p., (c) fig. 11, 1:2,400.

- 67.25 Hotz, P. E., 1967, Geologic mop of the Condrey Mountoin quodrongle, and ports of the Seiod Valley and Hornbrook quodrongles, Colifornia: U. S. Geol. Survey, Geol. Quod. Mop GQ-618, 1:62,500.
- 67-39 Weber, F. H., Jr., and Motthews, R. A., 1967, Prospecting for barite in northern Shasto County: Colifornio Div. Mines and Geol., Mineral Inf. Service, v. 20, no. 9, p. 107-114, p. 112-113, 1:42,000.
- 68-10 Dovis, G. A., 1968, Westword thrust foulting in the south-centrol Klomoth Mountoins, Colifornio: Geol. Soc. Americo Bull., v. 79, no. 7, p. 911–934, pl. 1, 1:34,000.
- 79, no. 8, p, 1027–1052, pl. 1, 1:500,000.
  68-26 Moore, G. W., and Silver, E. A., 1968, Geology of the Klomath River delto, Colifornia: U. S. Geol. Survey, Prof. Poper 600-C, p. 144–148, fig. 2, 1:500,

Addicott, W. O. 65-20 SF, SJ Akers, J. P. 67-60 SF, SC; 67-61 SC Albers, J. P. 64-20 R Alfars, J. T. 65-35 F; 68-2 F Allen, C. R. 68-41 SA Am. Assac. Petroleum Geologists 65-46 B, LA; 65-47 LA; 67-75 SC, SLO, SJ; 68-17 B, SLO Anderson, C. A. 65-24 Sac, Weed Axelrod, D. I. 66-42, SA Boird, A. K. 67-6 SB; 67-44 SA 8arco, R. A. 66-27 K Bossett, A. M. 66-5 SB; 66-6 SB Boteman, P. C. 63-23 SJ, M, F, SC; 65-16 M, F, DV; 65-27 M; 65-28 M; 65-34 M, F, DV; 66-12 M; 66-20 C 8erthold, H. W. 65-73 LA 8ishop, C. C. 68-1 Sac Blonc, R. P. 68-56 SA Bloyd, R. M., Jr. 67-62 LA, B, T,SB 8anillo, M. G. 60-69 SF; 65-25 SF; 65-65 SF 8owen, O. E. 65-4 SB; 65-51 SC Bawles, W. A. 66-11 DV 8ronnack, W. W. 65-34 M, F, DV 8rown, D. V. 67-34 SLO Brown, R. D., Jr. 67-77 SF, SR; 68-30 SLO, LA, B, SM; 68-59 SC, SLO Brune, J. N. 68-41 SA Burch, S. H. 68-8 SLO Burchfiel, B. C. 68-46 DV Burnett, J. L. 65-9 SJ, SF, SC; 66-29 F; 67-71 WL, C, Sac 8usch, R. D. 67-48 U, SR, Soc Californio Dept. Woter Resources 62-50 U; 64-45 SF, SJ, SC, SLO, SM, LA, SA, F, B, Soc, S8, SR; 65-53 LA; 65-54 L8, LA, SA; 65-55 SJ, Soc; 65-56 LA; 65-57 SF; 65-58 SJ, M; 65-59 SR; 65-60 SJ, M; 65-61 LA; 65-62 LA; 65-63 R, U; 65-68 F; 65-69 SA, L8; 65-70, R, U, Weed, SR; 66-44 M, SJ, F, SC; 66-45 R, U; 66-46 SF; 66-47 LA, S8, SA; 66-48 Weed; 66-49 SJ; 66-50 LA, SB; 66-53 SA; 67-3 Soc, SJ: 67-4 M: 67-5 LA; 67-8 SA, SD, SC; 67-9 SB, T; 67-10 SF, SC; 67-11 S8, N, SS; 67-12 SB, N, K, T; 68-45 L8; 68-53 SA, SD; 68-54 R. U Colifornio Div. Mines and Geol. 36-3 SC; 66-33 U, SR Colifornio Stote Woter Quality Control 8rd. 65-76 SM, LA, SB, SA, Compbell, R. H. 66-15 LA Cordwell, G. T. 61-7 U, SR Case, J. E. 67-65 SF Costle, R. O. 67-34 SLO Chopmon, Peter 67-76 Su Chopmon, R. H. 65-8 R; 66-33 U, SR; 68-1 Soc Cherry, J. A. 66-43 SR, SF Churkin, Michoel, Jr. 60-52 Weed Clark, L. D. 57-10 M; 62-8 SJ, M Clork, M. M. 68-41 SA Clory, M. R. 67-36 K Clevelond, G. B. 62-56 LB; 65-78 LA; 67-40 SA; 68-56 SA Clifton, H. E. 66-8 LA; 67-35 LA, SM; 67-57 B, LA; 68-27 B Coost Geol. Society 65-45 SM, LA Coleman, R. G. 68-21 SJ Camptan, R. R. 66-24 SC, SLO Canrey, B. L. 67-19 LB, S8, LA, SA Cooper, A. K. 68-47 SC Carbota, C. E. 67-42 SLO Cox, D. P. 67-47 R Crampton, P. J. 67-7 SD, SA Creosey, S. C. 65-24 Sac, Weed Creely, R. S. 65-2 C

Croft, M. G. 68-37 B

Crowder, D. F. 67-32 SB

Doiley, D. H. 66-14 SM Dale, R. H. 66-61 B Dovis, G. A. 65-37 Weed, R; 68-10 Weed DeLise, K. C. 67-70 LA Delisle, Mork 67-41 T Demirmen, F. 65-41 R, Weed Denny, C. S. 65-22 DV, 65-72 DV, 67-14 DV Dibblee, T. W., Jr. 63-60 SF; 65-66 SB; 65-67 SB; 66-4 SB; 66-5 SB; 66-6 SB; 66-13 LA; 66-25 Soc, SB, SF, SJ, F, SC, LA, B, SLO, SM; 67-13 SB; 67-17 SB; 67-18 SB; 67-26 SB; 67-28 S8; 67-29 SB; 67-33 SB; 67-49 LA, SB, B, T; 68-3 T; 68-12 SB; 68-20 SB; 68-31 LA, SB, SA; 68-57 SLO, B, LA, SM, F, SC Dickinson, W. R. 65-7 SC; 66-38 SLO, SC; 66-51 LA; 66-52 SLO, B, Dodge, F. C. W. 67-58 Soc, C; 68-35 F, M Domenico, S. N. 67-20 LA, S8 Dosch, M. W. 67-53 LA Drewes, Horold 65-22 DV Durhom, D. L. 65-18 StO, SC; 65-23 SLO; 66-9 SLO; 66-37 SLO 67-35 LA, SM; 68-18 SLO Durrell, Cordell 67-78 C, Su Eaton, J. P. 67-34 SLO Elevatorski, E. A. 68-34 K Emerson, D. O. 40-22 U, SR; 66-17 M Emery, K. O. 67-2 SC, SF, SJ Enos, Poul 65-13 SC Ernst, W. G. 65-36 SC Evans, J. R. 65-12 R Evenson, R. E. 47-9 SM; 66-16 SM, SLO; 66-36 SM Fife, D. L. 67-7 SD, SA Fillo, P. V. 67-58 Soc, C French, J. J. 66-61 8 Fyfe, W. S. 67-22 SJ Gollaway, A. J. 62-17 SR, SF Gostil, R. G. 67-41 T Geol. Society Americo 65-21 F, M; 65-49 SC Geol. Society Socromento 65-48 C; 66-56 M, WL; 67-69 Soc; 68-1 C. WL. Soc Ghent, E. D. 65-43 U, R Gibson, W. M. 68-9 SJ Giessner, F. W. 66-34 T, S8, LA, B; 66-35 SM Gluskoter, H. J. 65-40 SF, SR Galdmon, H. B. 65-75 SF, SJ; 67-66 SF, SJ, SR, Soc; 67-67 SF, S SR, Soc Gardon, G. V. 66-61 B Gorsline, D. S. 67-55 L8 Gower, H. D. 66-8 LA; 67-35 LA, SM Grantz, Arthur 68-41 SA Gravlee, G. C. 68-22 C Groy, C. H., Jr. 68-55 T, DV Gromme, C. S. 65-40 SF, SR; 67-23 SJ Gross, E. B. 68-52 M Gude, A. J. III 65-26 T Holl, C. A. 67-42 SLO Horbough, J. W. 65-41 R, Weed Hort, E. W. 59-27 SC; 66-26 SC, SLO Howkes, H. E. 65-79 R, Weed, U Hoyes, P. T. 67-30 SC Henderson, J. R., Jr. 66-7 Soc, SJ Hickey, J. J. 67-60 SF, SC Higgs, D. V. 54-40 LA Himmelberg, G. R. 68-21 SJ Holdowoy, M. J. 65-37 Weed, R; 65-52 Weed Hollister, V. F. 65-12 R Haoke, R. L. 68-43 DV, F

Crowell, J. C. 54-78 LA; 65-18 SLO, SC; 68-32 LA

Cummings, J. C. 68-28 SF, SJ

. 54-78 LA 67-25 Weed; 68-11 Weed, R K. 65-14 M; 65-29 M; 67-31 M; 68-38 M . 54-34 DV; 66-10 DV; 66-11 DV al Assac. far Quaternary Reseorch (INQUA) 65-21 F, M; , WL, Sac, C, SF, SC, F P. 65-17 R; 68-11 Weed, R E. 66-19 Su t. W. 67-37 SS Anna 66-7 Sac, SJ . I. 68-24 SJ, SF . 65-32 M . 54-78 LA A. P. 66-57 SD; 67-73 SD, SA; 67-74 SA, SD; 68-49 SD; orold 65-24 Soc, Weed W. 65-34 M, F, DV; 66-1 M; 66-12 M 57-40 Sac B. 66-31 Soc K. B. 68-5 M L. 66-60 LA V. C., Jr. 67-54 M M. A. 65-17 R; 68-11 Weed, R . 67-52 SF, SC O. H. 67-22 SJ W. 65-37 Weed, R en 65-75 SF, SJ A. 66-41 Soc . 66-51 LA . 65-5 M; 67-48 U, SR, Soc 4. 67-51 R R. 54-34 DV; 66-10 DV; 66-11 DV , G. A. 65-30 Su G. T. 67-27 DV D. 67-2 SC, SF, SJ R. A. 66-29 F; 67-39 Weed; 67-72 C F. 68-13 C T. H. 65-15 SB, LB, SA, LA; 65-42 SB D. B. 67-6 SB; 67-44 SA H. 67-24 M; 67-43 M; 68-7 M R. 66-33 U, SR; 68-4 SR; 68-33 U; 68-51 U H. 68-25 SC, SJ, F T. 67-23 SJ W. 68-15 C . G. 68-42 SS, N A. 66-16 SM, SLO A. 67-7 SD, SA Jniv. of 65-18 SLO, SC W. 68-26 Weed G. 65-28 M; 68-35 F, M F. 66-59 LB, SA, LA . R. 67-41 T A. 68-24 SJ, SF . M. 66-58 LA; 67-44 SA; 68-48 SB, LA K. 65-10 DV, T; 68-44 SA P. 68-24 SJ, SF 67-64 LA 8. 67-43 M D. 68-29 R; 68-47 SC A. 66-2 M; 66-3 M; 67-24 M . F. 66-10 DV G. B. 43-42 SR; 46-10 SC; 65-50 LA, SB, SC, SF C. 45-12 R; 65-11 R, Weed, U W. 68-13 C , A. T. 54-78 LA . 66-22 SLO; 67-21 SF; 68-36 SF

Page, N. J. 68-36 SF Page, R. W. 67-34 SLO Pakiser, L. C. 68-16 M Pampeyan, E. H. 65-65 SF Parwel, A. 68-52 M Pearsan, R. C. 67-30 SC Peck, D. L. 57-10 M; 62-8 SJ, M Peterson, D. W. 68-13 C Peterson, G. L. 66-40 R Papenae, W. P. 66-14 SM Past, E. V. 66-8 LA Putmon, G. W. 65-35 F; 68-2 F Quade, Jack 67-76 Su Radbruch, D. H. 65-64 SF, SJ; 67-65 SF; 68-58 SF, SJ, SC Repenning, C. A. 65-31 B, LA Rich, E. I. 40-22 U, SR Richmand, J. F. 65-39 SB Rinehart, C. D. 65-14 M; 65-29 M; 67-31 M Rabinsan, T. W. 66-11 DV Robsan, S. G. 66-35 SM Ragers, T. H. 66-30 SJ; 66-32 SA; 68-47 SC Romey, W. D. 65-37 Weed, R Rass, D. C. 65-71 F; 66-18 F; 67-15 DV; 67-16 F, DV, M; 68-61 LA, SB Rath, E. F. 67-34 SLO Rusnak, G. A. 67-55 LB Sabins, F. F., Jr. 64-43 SA Sams, R. H. 54-78 LA Schlocker, Julius 65-65 SF Schaellhamer, J. E. 65-15 LB, SA, LA, SB Schwarcz, H. P. 66-39 SA Scatt, K. M. 68-22 C Sharp, R. P. 68-6 M Sharp, R. V. 67-79 SA; 68-41 SA Sheppard, R. A. 65-26 T Shleman, R. J. 67-69 Soc Shreve, R. L. 68-23 SB Silver, E. A. 68-26 Weed Simpsan, D. R. 65-6 SA Slemmons, D. B. 66-21 Sac, WL, SJ Smith, A. R. 30-1 M; 65-1 B; 67-50 M Smith, G. I. 67-68 T; 68-55 T, DV Smith, P. B. 68-18 SLO Smith, S. W. 68-40 SLO, SC Soc. Econ. Paleantalagists and Mineralogists (Pacific Section) 65-45 SM, LA; 65-46 B, LA; 67-75 SC, SLO, SF; 68-17 B, SLO Sac. Exploration Geaphysicists (Pacific Section) 65-46 B, LA; 68-17 B, SLO Saliman, S. M. 65-3 SJ Stanfard, Univ. 68-27 B; 68-28 SF, SJ; 68-29 R; 68-30 SLO; 68-31 LA, SB, SA; 68-32 LA Stantan, R. J., Jr. 67-45 LA Stauffer, P. H. 67-1 LA, SM Stern, T. W. 66-10 DV Strand, R. G. 66-31 Sac; 67-38 M Streitz, Robert 66-55 SB; 67-56 SB; 68-48 SB, LA Stramquist, A. A. 66-7 Sac, SJ Tabar, L. L. 67-21 SF Theadare, T. G. 68-41 SA Traxel, B. W. 65-78 LA; 67-46 T; 68-55 T, DV Tyley, S. J. 67-63 SB, T, B, LA Vedder, J. G. 65-15 LB, SA, LA, SB; 65-31 B, LA; 66-8 LA; 67-34 SLO; 67-35 LA, SM; 68-19 LA; 68-30 SLO, B, LA, SM; 68-60 SLO, B, LA Verhoagen, J. 67-23 SJ Ver Planck, W. E. 65-4 SB; 66-54 T, SB Von Huene, Raland 68-55 T, DV

Waananen, A. O. 67-34 SLO
Wahrhaftig, Clyde 57-10 M; 62-8 SJ, M; 63-23 SJ, M, F, SC; 65-38
M, F; 66-20 C; 66-23 SF
Wallace, R. E. 67-34 SLO; 68-60 SLO, B, LA
Washburn, A. L. 66-11 DV
Weber, F. H., Jr. 65-74 SB, 65-77 SB, 67-39 Weed, 67-59 LA
Welday, E. E. 67-6 SB; 67-44 SA
Wells, F. G. 65-79 R, Weed, U
Wentwarth, C. M. 65-19 LA; 66-15 LA
Westphal, J. A. 66-34 T, SB, LA, B

Wolfe, E. W. 68-41 SA
Wallenberg, H. A. 68-9 SJ
Wright, L. A. 68-62 T, K, DV
Wyss, M. 68-40 SLO, SC; 68-41 SA
Yeats, R. S. 65-33 LA
Yeend, W. E. 68-13 C
Yerkes, R. F. 65-15 LB, SA, LA, SB; 65-19 LA; 66-15 LA; 67-34 SLO, 67-55 LB
Zbur, R. T. 63-62 T















## THIS BOOK IS DUE ON THE LAST DATE STAMPED BELOW

BOOKS REQUESTED BY ANOTHER BORROWER ARE SUBJECT TO RECALL AFTER ONE WEEK.
RENEWED BOOKS ARE SUBJECT TO IMMEDIATE RECALL

JUN 30 1981 RECEIVED OCT 1 6 1980

PHYS SCI LIBRARY

LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS

Book Slip-Series 458

